

TP1438, Vinyl Ring Terminal For 16 - 14 AWG

By Burndy Catalog # TP1438





Application

For Commercial And Light Duty Industrial Control And Power Circuit Applications

Yes

General

EU RoHS Indicator

Catalog Number TP1438
Color Code Blue

Connector Type Ring Terminal

Feature - Barrel Style Shrouded Insulation Y Insulation Type Vinyl Material Copper

Physical Attribute - Number of 1

Holes

Physical Attribute - Tongue Ring

Туре

Plated Y
Plating Type Tin
Sub Brand VINYLUG
Trade Name VINYLUG™
Type Ring Tongue
UPC 781810085530
UPC 12 Digit 7818100855300

Dimensions

Cable Insulation Diameter 0.19 in

Maximum

Dimension - B Length fraction 13/50 in
Dimension - B Length inch 0.26 in
Dimension - Bolt Size fraction 3/8
Dimension - Diameter Max Size 0.19 in

inch

Dimension - Hole Size fraction 2/5
Dimension - Hole Size inch 0.40 in
Dimension - L Length Overall 31 mm

mm

Dimension - Length Overall 1.21 in

inch

Dimension - Pad Width inch
Dimension - Strip Length inch
Dimension - Stud Size inch
Dimension - Z (inch)

0.53 in
3/64 in
3/8 in
0.45 in

Electrical Ratings

Voltage - Maximum 600 V

Conductor Related

Conductor Range #16 AWG to #14 AWG

Conductor Size 16 - 14 AWG
Conductor Type • CU C Solid-Size
• CU C Str-Size

Certifications And Compliance

Buy American Compliant Yes
Certification - CSA Approved Yes
Certification - ETL No
Certification - UL Recognized No
Certification - cULus No
Industry Standard(s) UL467
Standards - Industry Standards UL486

Mot

Standards - RoHS Compliance CM

Status

UL Listed Yes

Logistics

Carton Quantity 1200
Minimum Pack Quantity 100
Pallet Quantity 99999

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog

Catalogs - BURNDY Master Catalog - Section B - Small

Compression

Customer Notices - Prop 65 Notice

Interactive Catalog - BURNDY Full-Line Digital Catalog

Product Cross Section Image(s) - BUR_TP1010_LineArt

Sales Drawings - 50093722 Specifications - TP1438

