

# UH225, Substation Copper Bus Support, 4" IPS, 5" Bolt Dia, 5/8" Bolt

By Burndy Catalog # UH225





# Application

Substation

#### General

Catalog Number UH225
Connector Type Bus Support
Fitting Type Slip or Rigid

Hardware Type Cap mounting kit (w/o nuts)

Installation Torque 660 in-lb

Recommended in-lb

Material Copper Alloy

Material - Hardware DURIUM™ Silicon Bronze

Mounting Hardware 5/8-11 x 1" LG

One Wrench Installation Y Plated N

Plating Type Unplated

Type Cable or Tube to Insulator Bus

Supports

UPC 781810283226 UPC 12 Digit 7818102832266

## **Dimensions**

Bolt Circle Diameter	5 in
Dimension - B Length fraction	3-1/4 in
Dimension - B Length inch	3.25 in
Dimension - G inch	4.50 in
Dimension - Height fraction	7-1/4 in
Dimension - Height inch	7.25 in
Dimension - Hole Size fraction	11/16
Dimension - Hole Size inch	0.69 in
Dimension - Width fraction	7-1/2 in
Dimension - Width inch	7.50 in
Dimension - Width mm	191 mm

#### **Conductor Related**

Conductor - Connection	Base to Tube
Combination	
Conductor - Copper Tube EH	4 IPS
Size	
Conductor - Copper Tube EH	4 IPS
Size Range	
Conductor - Copper Tube Std	4 IPS
Size	
Conductor - Copper Tube Std	4 IPS
Size Range	
Conductor Type	<ul> <li>CU Tube Std-Size</li> </ul>
	<ul> <li>CU Tube EH-Size</li> </ul>

#### **Certifications And Compliance**

Number of Conductors

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance	EX
Status	
UL Listed	No

### Logistics

Minimum Pack Quantity

#### **Product Assets**

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Catalogs - BURNDY Master Catalog - Section L - Bolted Substation

Customer Notices - Prop 65 Notice

Interactive Catalog - BURNDY Full-Line Digital Catalog

Sales Drawings - SA..007374-01

Specifications - UH225

