

## WILEY-RLJ6C18-516, 18 IN L, 5/16 IN Hardware NOT included

By Burndy Catalog # WILEY-RLJ6C18-516

Wiley Rope-Lay Bonding Jumper; 5/16" Stud; 18" Length.

## Features

- Bond moving and stationary components with extremely flexible conductor stranding
- Standard mounting geometry and hardware requirements allow quick and easy installation
- Tin plated copper construction ensures durability against the elements and provides the environmental stability required for installation longevity
- Offered in a variety of lengths and mounting hardware sizes customer configurations available upon request
- Listed to UL467 and UL2703

## Application

The Wiley Rope Lay Jumper is the optimal solution for bonding applications involving moving components. The WILEY-RLJ type jumpers are flexible in all directions and can be mounted to any flat surface. Made from tin plated copper stranding and crimped into a high-quality BURNDY lug, the rope lay jumper meets requirements of both UL467 and UL2703. At a size equivalent to #6 AWG conductor, engineers and installers can be confident in meeting or exceeding bonding requirements in most applications. The WILEY-RLJ jumpers are available with a variety of mounting hole sizes and in three standard lengths. Adding flexibility to both the installation process and application requirements, custom lengths and mounting configurations are available upon request.

## General



Catalog Number UPC	WILEY-RLJ6C18-516 621945555266
Dimensions	
Bolt Size Length	5/16 in 18 in
Conductor Related	
Conductor Size	#6 AWG
Certifications And Compliance	
Certified Listed Industry Standard(s)	UL2703 UL2703
Logistics	
Carton Quantity	1000
Product Assets	
Catalog Page - BURNDY WileyRopeLayJumper CatCut Catalogs - BURNDY Master Catalog - Section E4 - Wiley Grounding Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Certifications - Certificate of Compliance, UL 467 Certifications - Certificate of Compliance, UL 2703	

Sales Drawings - 50101258

Specifications - WILEY-RLJ6C18-516

