

YAE18N24M, Nylon Ring Terminal For 22 - 18 AWG (Tape Mounted)

By Burndy Catalog # YAE18N24M

Nylon Ring Terminal For 22 - 18 AWG (Tape Mounted).

Features

- Multi-finger insulation grip provides superior insulation holding characteristics, especially on EPR and other elastictype insulation
- Brazed seam for a strong, more durable termination
- Manufactured of pure electrolytic copper for maximum conductivity, low resistance and ductility for excellent crimp forming properties
- Deep V groove, inner barrel serrations for optimum conductivity, reliability, and holding power
- Smooth funnel entry for easy wire insertion

General

Catalog Number	YAE18N24M
Color Code	Red
Connector Type	Ring Terminal
Feature - Barrel Style	Shrouded
Insulation	Y
Insulation Type	Nylon
Material	Copper
Physical Attribute - Number of	1
Holes	
Physical Attribute - Tongue	Ring
Туре	
Plated	Y
Plating Type	Tin
Trade Name	INSULUG™
UPC	781810028353
UPC 12 Digit	7818100283533

Dimensions

Dimension - Bolt Size fraction	#8
Dimension - Hole Size fraction	8/47
Dimension - Hole Size inch	0.17 in
Dimension - Length Overall	0.90 in
inch	
Dimension - N inch	0.14 in
Dimension - Pad Width inch	0.28 in



Dimension - Strip Length inch	3/16 in
Dimension - Z (inch)	0.28 in

Electrical Ratings

λ.

/oltage - Maximum	600 V
-------------------	-------

Conductor Related

Conductor - Copper Str	AN 22;AN 20;AN 18;AN 16
Aircraft Size	
Conductor - Copper Str Size	22 AWG - 16 AWG
Range	
Conductor Size	22 - 18 AWG
Conductor Type	CU C Str-Size

Certifications And Compliance

Certification - CSA Approved	Yes
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Industry Standard(s)	• UL486
	 Military Specified (Mil-Spec)
Standards - Industry Standards	UL486
Met	
Standards - RoHS Compliance	CM
Status	
UL Listed	Yes

Logistics

Minimum Pack Quantity 2000 Packaging Type Reel

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Customer Notices - Prop 65 Notice Interactive Catalog - BURNDY Full-Line Digital Catalog Product Cross Section Image(s) - BUR_YAE18NM_LIneArt Sales Drawings - 50105268 Specifications - YAE18N24M

