

# Uninsulated Fork Terminal For 16 - 14 AWG

By Burndy Catalog # YAV14T34F

Uninsulated Fork Terminal For 16 - 14 AWG.



## **Application**

For Use On Copper Commercial (Code) Cable, Type AN Aircraft Cable And Extra Flexible Conductors

#### General

Connector Type Fork Terminal

EU RoHS Indicator Yes

Feature - Barrel Style Chamfered
Feature - Barrel Type Standard
Material Copper

Physical Attribute - Number of 1

Holes

Physical Attribute - Tongue Fork

Туре

Plated Y
Plating Type Tin
Sub Brand HYLUG
Trade Name HYLUG™
Type Fork Tongue
UPC 781810025413

## **Dimensions**

Dimension - B Length fraction 1/4 in
Dimension - B Length inch 0.27 in
Dimension - Bolt Size fraction #8 - #10
Dimension - D inch 0.48 in
Dimension - L Length Overall 21 mm

mm

Dimension - Length Overall 0.82 in

inch

Dimension - N inch 0.22 in Dimension - Outside Diameter 0.16 in

inch

Dimension - Pad Width inch 0.37 in

Dimension - Strip Length inch 9/32 in

Dimension - Stud Size inch #8;#9;#10

Dimension - Z inch 0.26 in

## **Conductor Related**

Conductor - Copper Str AN 20;AN 18;AN 16;AN 14

Aircraft Size

Conductor - Copper Str AN 20-AN 14

Aircraft Size Range

Conductor - Copper Str Size 20 AWG;18 AWG;16 AWG;14

AWG

20 AWG - 14 AWG

Conductor - Copper Str Size

Range

Conductor Size 16 - 14 AWG
Conductor Type CU C Str-Size

### **Certifications and Compliance**

Certification - CSA Approved Yes
Certification - ETL No
Certification - UL Recognized No
Certification - cULus No
Industry Standard(s) UL467
Standards - Industry UL486
Standards Met

Standards - RoHS Compliance CM

Status

UL Listed Yes

#### Logistics

Carton Quantity 1000
Minimum Pack Quantity 1000
Pallet Quantity 99999

## **Product Assets**

Catalogs - Full Line BURNDY Catalog Sales Drawings - 50094187

Technical Solutions - BURNDY\_YAV14T34F\_Specsheet