

YAV70M12, Compression Terminal

By Burndy Catalog # YAV70M12

Non insulated Cu tubular terminals, Metric, 1 Hole/W/insp W, 70 mmClass2, 1/2" stud, Tin - Electro Plated, 13 Index.



Application

Metric Wire Termination

General

Catalog Number YAV70M12
Connector Type METRIC
Die Index 13

Feature - Barrel Style • Chamfered • Skived

Feature - Barrel Type Standard
Finish Type Tin-Plated
Material COPPER

Physical Attribute - Number of 1

Holes

Plated Y

Plating Type Tin - Electro Plated

Trade Name HYLUG™

Type Metric Terminals UPC 781810246573

Dimensions

Dimension - B Length fraction 11/16 in Dimension - B Length inch 0.69 in Dimension - Bolt Hole Size inch 0.52 in Dimension - Bolt Size fraction Dimension - Bolt Size inch Dimension - Hole Size fraction 1/2 Dimension - Hole Size inch Dimension - Hole Size mm 13.5 mm Dimension - Length Overall 2.19 in inch Dimension - N inch 0.53 in Dimension - Outside Diameter 0.56 in inch Dimension - Pad Width inch 0.83 in Dimension - Strip Length inch 0.75 in Dimension - Stud Size fraction Dimension - Z (inch) 0.55 in Physical Attribute - Tongue Straight Angle

Electrical Ratings

Voltage - Maximum 35000 Voltage Rating 35 kV

Conductor Related

Conductor - Copper Str AN 0

Aircraft Size

Conductor - Copper Str Size 1/0

Conductor - Material COPPER

Conductor Size 70 mm2

Conductor Type CLASS 2

Certifications And Compliance

Certification - CSA Approved No
Certification - ETL No
Certification - UL Recognized No
Certification - cULus No
Standards - RoHS Compliance CM
Status
UL Listed No

Logistics

Carton Quantity 20 Minimum Pack Quantity 20

Product Assets

3D Models - YAV70M12_MODEL-STEP 3D Models - YAV70M12_MODEL-IGES 3D Models - YAV70M12_MODEL-PDF

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Catalogs - BURNDY Master Catalog - Section C - Compression Connections

Interactive Catalog - BURNDY Full-Line Digital Catalog Product Cross Section Image(s) - BUR_yavm_lineart

Sales Drawings - 50025521 Specifications - YAV70M12

