

YAV952M12, Compression Terminal

By Burndy Catalog # YAV952M12

Non insulated Cu tubular terminals, Metric, 2 Holes/W/insp W, 95mmClass2, 1/2" stud, Tin - Electro Plated, 13 Index.



Application

Metric Wire Termination

General

YAV952M12 Catalog Number Connector Type **METRIC** Die Index 14

Finish Type Tin-Plated COPPER Material

Plated

Tin - Electro Plated Plating Type

Trade Name HYLUG™

Metric Terminals Type UPC 781810636398

Dimensions

Dimension - B Length inch 20.6 in Dimension - Bolt Size fraction 1/2 Dimension - Bolt Size inch 0.5 1/2 Dimension - Hole Size fraction Dimension - Hole Size inch 0.53 Dimension - Hole Size mm 13.5 mm Dimension - Length Overall 4 12 in

Dimension - Pad Width inch 23.6 in Dimension - Strip Length inch 0.87 in Dimension - Stud Size fraction 1/2 Dimension - Z (inch) 0.55 in Physical Attribute - Tongue Straight

Angle

Electrical Ratings

Voltage - Maximum 35000 35 kV Voltage Rating

Conductor Related

Conductor - Copper Str Size 2/0 Conductor - Material COPPER Conductor Size 95 mm2 Conductor Type CLASS 2

Certifications And Compliance

Certification - CSA Approved Certification - ETL No Certification - UL Recognized Certification - cULus No Standards - RoHS Compliance СМ Status

UL Listed No

Logistics

Carton Quantity 10 Minimum Pack Quantity 10

Product Assets

3D Models - YAV952M12 MODEL-STEP 3D Models - YAV952M12 MODEL-IGES 3D Models - YAV952M12_MODEL-PDF

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Catalogs - BURNDY Master Catalog - Section C - Compression

Connections

Interactive Catalog - BURNDY Full-Line Digital Catalog Product Cross Section Image(s) - BUR_yavm_lineart

Sales Drawings - 50025887 Specifications - YAV952M12