

# YCA33R2N

By Burndy  
Catalog # YCA33R2N



AL compression lug designed for terminating jumper loop and equipment taps to switch pads and other substation switch yard apparatus, 7.29 IN L.

## Application

Used for terminating jumper loops and equipment taps at switchpads and other substation apparatus, or to YDW-R deadends.

## General

Connector Type	Terminal
Die Index	316
EU RoHS Indicator	Yes
Material	Aluminum
Physical Attribute - Pad Configuration	2 Hole NEMA
Plated	N
Plating Type	Unplated
Prefilled Oxide Inhibitor	Y
Sub Brand	COMPRESSION TERMINAL
Type	YCA-R-N
UPC	781810016664
UPC 12 Digit	7818100166644

## Dimensions

Dimension - B Length inch	3.00 in
Dimension - Bolt Hole Size inch	0.5 in
Dimension - E Spacing between Holes fraction	1-3/4 in
Dimension - L Length Overall mm	185 mm
Dimension - Length Overall inch	7.29 in
Dimension - Outside Diameter inch	1.14 in
Dimension - Pad Width inch	1.60 in

## Conductor Related

Conductor - AAAC 5005 Size	394.5 (19) kcmil
Conductor - AAAC 5005 Size Range	394.5 (19) kcmil
Conductor - AAAC 6201 Size	394.5 (19) kcmil
Conductor - AAAC 6201 Size Range	394.5 (19) kcmil
Conductor - ACSR Str Size	336.4 (26/7) Linnet kcmil; 336.4 (30/7) Oriole kcmil
Conductor - ACSR Str Size Range	336.4 (26/7) Linnet kcmil- 336.4 (30/7) Oriole kcmil
Conductor - AL Str Size	397.5 (19) Kcmil

## Certifications and Compliance

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance Status	CM
UL Listed	No

## Logistics

Carton Quantity	10
Minimum Pack Quantity	1
Pallet Quantity	3920

## Product Assets

[3D Models - YCA33R2N\\_MODEL-STEP](#)  
[3D Models - YCA33R2N\\_MODEL-PDF](#)  
[3D Models - YCA33R2N\\_MODEL-IGES](#)  
[Catalogs - Full Line BURNDY Catalog](#)  
[Customer Notices - Prop 65 Notice](#)  
[Sales Drawings - SD..029515-01](#)

