

Compression Pin Adapter

By Burndy Catalog # YE38P350X150FX

Type YE-P copper compression adapters are designed for reliable termination of copper conductor when the current capacity of the conductor is downsized, but larger conductor is utilized. Typical applications are for voltage drop protection when oversized conductors are used or flex conductor is used. Accommodates Copper Wire Sizes 700 KCMIL Class B & C, 500 KCMIL Classes H,I,K, 550 KCMIL Classes G,H,I, 535 DLO



Features

- Connector:Uninsulated copper compression pin adapter
- · Connection: Irreversible and maintenance free
- Long barrel lengths allow for an increased number of crimps, increasing the mechanical strength of the connection
- Material types include: Santoprene or PVC

Application

Typical applications are for voltage drop protection when oversized conductors are used or flex conductor is used

General

Color Code Pink
Connector Type INLINE PIN
Construction Material - Main Copper
Die Index 400

EU RoHS Indicator Contact Manufacturer

Finish Type Tin-Plated

Material COPPER

Temperature Rating 90°C

Trade Name HYPLUG™

Type Connector

UPC 621945644779

Electrical Ratings

Voltage Rating 600 V

Conductor Related

Conductor - Copper Flex G 550 KCMIL Size

Conductor - Copper Flex H 550 KCMIL

Size

Conductor - Copper Flex I 500-550 KCMIL

SIZE

Conductor - Copper Flex K 500 KCMIL

Size

Conductor - Copper Str 700 KCMIL

Compact Size

Conductor - Copper Str Size 700 KCMIL
Conductor - Material COPPER
Conductor Size 700 KCMIL
Conductor Type CODE/FLEX

Logistics

Carton Quantity 25

Product Assets

Catalog Page - BURNDY _CopperPinAdapter_CatCut Catalogs - Full Line BURNDY Catalog Sales Drawings - 50119221

