

YHSA14K6LF, Heat Shrink Locking Fork Terminal For 16 - 14 AWG

By Burndy Catalog # YHSA14K6LF

Heat Shrink Locking Fork Terminal For 16 - 14 AWG.

Features

- Locking fork tongue design allows fast installation
- Screw only has to be loosened for termination
- Internal configuration of the fork prevents the terminal from coming off the screw without applying a pulling force
- Locking fork is made from a copper alloy and permits many installation while maintaining proper spring retention of forks

Application

For Use On Copper Conductor

General

Catalog Number	YHSA14K6LF
Connector Type	Locking Fork Terminal
EU RoHS Indicator	Yes
Insulation	Y
Insulation Type	Heat Shrink
Material	Copper
Physical Attribute - Tongue	Snap Fork
Туре	
Plated	Y
Plating Type	Tin
Sub Brand	HYDENT
Trade Name	HYDENT™
Туре	YHS, Heat Shrink
UPC	781810524817
UPC 12 Digit	7818105248177

Dimensions

Dimension - Bolt Size fraction	#6
Dimension - L Length Overall	30 mm
mm	
Dimension - Length Overall	1.18 in
inch	
Dimension - Pad Width inch	0.25 in
Dimension - Strip Length inch	7/32 in
Dimension - Stud Size fraction	#6
Dimension - Z (inch)	0.30 in



Conductor Related

Conductor - Copper Solid Size	16 AWG;15 AWG;14 AWG
Conductor - Copper Solid Size	16 AWG-14 AWG
Range	
Conductor - Copper Str Size	16 AWG;14 AWG
Conductor - Copper Str Size	16 AWG - 14 AWG
Range	
Conductor Size	16 - 14 AWG
Conductor Type	CU C Solid-Size
	CU C Str-Size

Certifications And Compliance

Buy American Compliant	Yes
Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance	СМ
Status	
UL Listed	No

Logistics

Carton Quantity	100
Minimum Pack Quantity	100

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Catalogs - BURNDY Master Catalog - Section B - Small Compression Interactive Catalog - BURNDY Full-Line Digital Catalog Product Cross Section Image(s) - BUR_YHSA18K6LF_LineArt Sales Drawings - 50094179



HUBBELL A Hubbell brand

©2024 Hubbell Incorporated. All rights reserved BRDY-YHSA14K6LF-SPEC-EN | REV 8/2024