

YHSA14K8LF, Heat Shrink Locking Fork Terminal For 16 - 14 AWG

By Burndy Catalog # YHSA14K8LF

Heat Shrink Locking Fork Terminal For 16 - 14 AWG.



- Locking fork tongue design allows fast installation
- Screw only has to be loosened for termination
- Internal configuration of the fork prevents the terminal from coming off the screw without applying a pulling force
- Locking fork is made from a copper alloy and permits many installation while maintaining proper spring retention of forks

Application

For Use On Copper Conductor

General

Catalog Number YHSA14K8LF

Connector Type Locking Fork Terminal

EU RoHS Indicator Yes Insulation Y

Insulation Type Heat Shrink
Material Copper
Physical Attribute - Tongue Snap Fork

Туре

Plated Y
Plating Type Tin
Sub Brand HYDENT
Trade Name HYDENT™

Type YHS, Heat Shrink UPC 781810524848

Dimensions

Dimension - Bolt Size fraction #8

Dimension - L Length Overall 30 mm

mm

Dimension - Length Overall 1.20 in

inch

Dimension - Pad Width inch 0.30 in Dimension - Strip Length inch 7/32 in



Dimension - Stud Size fraction #8
Dimension - Z (inch) 0.30 in

Conductor Related

Conductor - Copper Solid Size 16 AWG;15 AWG;14 AWG

Conductor - Copper Solid Size 16 AWG-14 AWG

Range

Conductor - Copper Str Size 16 AWG;14 AWG Conductor - Copper Str Size 16 AWG - 14 AWG

Range

Conductor Size 16 - 14 AWG

Conductor Type • CU C Solid-Size

CU C Str-Size

Certifications And Compliance

Buy American Compliant Yes
Certification - CSA Approved No
Certification - ETL No
Certification - UL Recognized No
Certification - cULus No
Standards - RoHS Compliance CM
Status

UL Listed No

Logistics

Carton Quantity 100 Minimum Pack Quantity 100

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog

Catalogs - BURNDY Master Catalog - Section B - Small

Compression

Interactive Catalog - BURNDY Full-Line Digital Catalog

Product Cross Section Image(s) - BUR_YHSA18K6LF_LineArt

Sales Drawings - 50094179 Specifications - YHSA14K8LF

