

K2C17, SERVIT POST Mechanical Connector, 2 Cables to Flat

By Burndy Catalog # K2C17



Mechanical Grounding Connector, 2 Cables to Flat, 10 - 7 AWG (Str) / 10 - 6 AWG (Sol).

General

Application

Catalog Number EU RoHS Indicator Material Plated Plating Type Stud Installation Torque inch pounds Sub Brand Trade Name Туре UPC UPC 12 Digit

Structures, Fence Posts, Transformers, Tap One Or Two Cables From Bus Bar And Direct Burial K2C17 Yes Bronze Alloy, Leaded Ν Unplated 80 LBS/in

For Used To Ground One Or

Two Copper Cables To Steel

SERVIT POST SERVIT POST™ KC and K2C Series 781810256909 7818102569099

Dimensions

Dimension - B Length fraction	3/8 in
Dimension - B Length inch	0.37 in
Dimension - Body Width inch	0.44 in
Dimension - Bolt Size fraction	1/4
Dimension - D inch	0.50 in
Dimension - Height fraction	7/8
Dimension - Height inch	1.00 in
Dimension - L Length Overall	34.0 mi
mm	
Dimension - Length Overall	1.34 in
inch	
Dimension - Nut Width inch	0.62 in
Dimension - P inch	0.17 in
Dimension - Threads per inch	20
Dimension - Width inch	25 mm

) mm

Conductor Related

Conductor - Copper Solid Size	10 AWG;9 AWG;8 AWG;7 AWG;6 AWG
Conductor - Copper Solid Size	6 AWG - 10 AWG
Range	
Conductor - Copper Str Size	10 AWG;9 AWG;8 AWG;7 AWG
Conductor - Copper Str Size	7 AWG - 10 AWG
Range	
Physical Attribute - Number of	2
Conductors Accommodated	
Total	

Certifications And Compliance

Certification - CSA Approved No Certification - ETL No Certification - UL Listed Direct Yes Burial Certification - UL Recognized No Certification - cULus No UL467 Industry Standard(s) Standards - Industry Standards UL467 Met Standards - RoHS Compliance FΧ Status UL Listed Yes

Logistics

50 Carton Quantity Pallet Quantity 44550

Product Assets

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Catalogs - BURNDY Master Catalog - Section E2 - Mechanical Grounding Customer Notices - Prop 65 Notice Interactive Catalog - BURNDY Full-Line Digital Catalog Product Cross Section Image(s) - BUR_K2C_Lineart Sales Drawings - SD..055917



©2024 Hubbell Incorporated. All rights reserved BRDY_CA-K2C17-SPEC-EN | REV 6/2024