

# **Substation - Aluminum Bolted Terminal**

By Burndy Catalog # NA14A4N

Substation Connectors.



# **Application**

Substation

#### General

Clamping Element Design Body and Cap Connector Type **Terminal** Installation Torque 300 LBS/in

Recommended in-lb

Material Aluminum Alloy Material - Hardware Aluminum

One Wrench Installation Physical Attribute - Number of 4

Holes

Physical Attribute - Pad Offset

Alignment

Physical Attribute - Pad 4 holes

Configuration

Plated

Plating Type Unplated UPC 781810164853 UPC 12 Digit 7818101648533

## **Dimensions**

Dimension - B Length inch 3.25 in Dimension - D inch 4.00 in Dimension - F Width Center to 1.75 in

Center inch

Dimension - G inch 1.41 in Dimension - Height inch 3.12 in Dimension - Hole Size fraction 9/16 Dimension - L Length Overall 165 mm

mm

Dimension - Length Overall

inch

Dimension - N inch 0.63 in Dimension - Pad Width inch 4.00 in Dimension - Width inch 2.80 in Dimension - Width mm 71 mm

## **Conductor Related**

Conductor - AL Tube Std Size 3/4 IPS Conductor - AL Tube Std Size 3/4 IPS Range

Conductor - Connection Tube to Flat

Combination

Conductor - Copper Tube Std 3/4 IPS IPS

Conductor - Copper Tube Std 3/4 IPS IPS

Size Range

Conductor Type • AL Tube Std-Size

• CU Tube Std-Size

**Number of Conductors** 

## **Certifications And Compliance**

Certification - CSA Approved Certification - ETL Certification - UL Recognized Nο Certification - cULus No Standards - RoHS Compliance EX Status **UL** Listed No

#### **Product Assets**

Catalogs - Full Line BURNDY Catalog Sales Drawings - SA038849-01



6.50 in