

# NA1744NHQ, Substation - Copper Terminal

By Burndy Catalog # NA1744NHQ

Substation Connectors.



## **Conductor Related**

Conductor - Connection Combination	Tube to Flat
Conductor - Copper Tube Std Size	1 1/2 IPS
Conductor - Copper Tube Std Size Range	1 1/2 IPS
Conductor Type	CU Tube Std-Size
	• CU Tube EH-Size

1

Number of Conductors

### **Certifications And Compliance**

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance	ΕX
Status	
UL Listed	No

#### **Product Assets**

3D Models - NA1744NHQ\_MODEL-PDF 3D Models - NA1744NHQ\_MODEL-STEP 3D Models - NA1744NHQ\_MODEL-IGES Catalogs - Full Line BURNDY Catalog Catalogs - Section L - Bolted Substation Customer Notices - Prop 65 Notice Sales Drawings - 10079263

#### Application

Substation

#### General

Catalog Number	NA1744NHQ
Clamping Element Design	Body and Cap
Connector Type	Terminal
Installation Torque Recommended in-Ib	480 LBS/in
Material	Copper Alloy
Material - Hardware	DURIUM <sup>™</sup> Silicon Bronze
One Wrench Installation	Y
Physical Attribute - Number of Holes	4
Physical Attribute - Pad Alignment	Offset
Physical Attribute - Pad Configuration	4 x 4 - 4 holes
Plated	Ν
Plating Type	Unplated
UPC	781810456880
UPC 12 Digit	7818104568800

## Dimensions

Dimension - B Length inch Dimension - D inch	2.69 in 4.00 in
Dimension - F Width Center to Center inch	1.75 in
Dimension - Height inch	3.09 in
Dimension - Hole Size fraction	9/16
Dimension - L Length Overall	180 mm
mm	
Dimension - Length Overall inch	7.07 in
Dimension - N inch	1.12 in
Dimension - Pad Width inch	4.00 in
Dimension - Width inch	3.82 in
Dimension - Width mm	97 mm

