

Substation - Aluminum Bolted Terminal

By Burndy Catalog # NA17A4N

Al Terminal, 1.75" Spacing, Bolted, Tube to Flat, 1-1/2" IPS, 1.90" Dia, 4 NEMA Pad Holes.



Application

For tube to Pad

General

Catalog Number	NA17A4N
Clamping Element Design	Body and Cap
Connector Type	Terminal
Construction Material - Main	Aluminum Alloy
EU RoHS Indicator	Contact Manufacturer
Installation Torque Recommended in-Ib	300 LBS/in
Material	Aluminum Alloy
Material - Hardware	Aluminum
One Wrench Installation	Y
Physical Attribute - Number of Holes	4
Physical Attribute - Pad Alignment	Offset
Physical Attribute - Pad Configuration	3 x 3 - 4 holes
Plated	Ν
Plating Type	Unplated
Туре	NA-A
UPC	781810003749
UPC 12 Digit	7818100037499

Dimensions

4 in
4.00 in
3.00 in
1.75 in
1.76 in
3-7/8
3.88 in
9/16
191 mm
7.50 in
0.63 in
3.00 in
3-11/16 in
3.64 in
92 mm

Conductor Related

Conductor - AL Tube Std Size	11/2 IPS
Conductor - AL Tube Std Size Range	1 1/2 IPS
Conductor - Connection Combination	Tube to Flat
Conductor - Copper Tube Std Size	1 1/2 IPS IPS
Conductor - Copper Tube Std Size Range	1 1/2 IPS IPS
Conductor Type	• AL Tube Std-Size
	• CU Tube Std-Size
Number of Conductors	1

Certifications And Compliance

Certification - CSA Approved	No
Certification - ETL	No
Certification - UL Recognized	No
Certification - cULus	No
Standards - RoHS Compliance Status	СМ
UL Listed	No

Product Assets

3D Models - NA17A4N_MODEL-PDF 3D Models - NA17A4N_MODEL-IGES 3D Models - NA17A4N_MODEL-STEP Catalogs - Full Line BURNDY Catalog Catalogs - Section L - Bolted Substation Customer Notices - Prop 65 Notice Product Cross Section Image(s) - BUR_NA4N_LineArt Sales Drawings - SA038849-01

