

UH193, Substation Copper Bus Support, 2.5" IPS, 3" Bolt Dia, 1/2" **Bolt**

By Burndy Catalog # UH193

Cast Cu Alloy Bus Support, 2.5" IPS, 3" Bolt Dia, 1/2" Bolt.



Application

Substation

General

Catalog Number UH193 Connector Type **Bus Support** Fitting Type Slip or Rigid Hardware Type

Cap mounting kit (w/o nuts)

Installation Torque 480 in-lb

Recommended in-lb

Material Copper Alloy

DURIUM™ Silicon Bronze Material - Hardware

1/2-13 x 1" LG Mounting Hardware

One Wrench Installation Plated

Plating Type Unplated

Cable or Tube to Insulator Bus Туре

Supports

UPC 781810004487 7818100044877 UPC 12 Digit

Dimensions

Bolt Circle Diameter 3 in Dimension - B Length fraction 3 in Dimension - B Length inch 3.00 in Dimension - G inch 3.13 in Dimension - Height fraction 5 in 5.00 in Dimension - Height inch Dimension - Hole Size fraction 9/16 Dimension - Hole Size inch 0.56 in Dimension - Width fraction 5-1/4 in Dimension - Width inch 5.25 in Dimension - Width mm 133 mm

Conductor Related

Conductor - Connection Base to Tube Combination Conductor - Copper Tube EH 2 1/2 IPS Conductor - Copper Tube EH 2 1/2 IPS Size Range Conductor - Copper Tube Std 2 1/2 IPS Conductor - Copper Tube Std 2 1/2 IPS Size Range • CU Tube Std-Size Conductor Type • CU Tube EH-Size Number of Conductors

Certifications And Compliance

Certification - CSA Approved Certification - ETL No Certification - UL Recognized Nο Certification - cULus Standards - RoHS Compliance EX Status **UL** Listed No

Product Assets

3D Models - UH193_MODEL-PDF 3D Models - UH193_MODEL-STEP 3D Models - UH193 MODEL-IGES Catalogs - Full Line BURNDY Catalog Catalogs - Section L - Bolted Substation Customer Notices - Prop 65 Notice Product Cross Section Image(s) - BUR_UH_LineArt Sales Drawings - sa007374-01

