

# GAR1529, Mechanical Grounding Connector, Cable to Rod or Pipe

By Burndy Catalog # GAR1529

Mechanical Grounding Connector, Cable to Rod or Pipe, 2/0 AWG (Sol) -250 kcmil, 1" Pipe, 1-1/8"-1-1/4" Rod, #9-#10 Rebar, Bright Dipped.

### **Features**

- Parallel or 90° Copper Cable Connection
- · One-wrench installation
- · Rated for Direct Burial in earth or concrete

#### **Application**

For Joining A Range Of Cable, Parallel Or At Right Angles To Rod Or Tube, Direct Burial Cable, Fence Post

#### General

Catalog Number GAR1529
EU RoHS Indicator Yes
Installation Torque 240 Lb in

Recommended Run in-lb

Installation Torque 240 LBS/in

Recommended in-lb

Material Copper

Material - Hardware DURIUM™ Silicon Bronze

Plated N

Plating Type Bright Dipped

Sub Brand MECHANICAL CONNECTOR

Type GAR U Bolt Type 244

UPC 781810232804 UPC 12 Digit 7818102328044

## **Dimensions**

Dimension - B Length inch1.75 inDimension - Height fraction3-3/8 inDimension - Height inch3.38 inDimension - Height mm85.9 mmDimension - L Length Overall46 mm

mm

Dimension - Length Overall 1.81 in

inch

Dimension - Outside Diameter 1.31 in

inch

Dimension - Width fraction 2-5/8 in
Dimension - Width inch 2.62 in
Dimension - Width mm 67 mm





Conductor - Copper Solid Size 2/0 AWG Conductor - Copper Solid Size 2/0 AWG-4/0 AWG Range 250 Kcmil Conductor - Copper Str Size 1/0 -250 kcmil Conductor - Copper Str Size Range Conductor - Copper Tube Std 1 IPS IPS Size Conductor - Copper Tube Std 1 IPS IPS Size Range Conductor - Pipe or Round 1 in Tube Size Range Conductor - Rebar Size 9-10 Conductor - Rebar Size Range 9-10 Conductor - Rod Size 1.120-1.31 in Conductor - Rod Size Range 11/8 in-11/4 in Conductor Type • CU C Solid-Size • CU C Str-Size

• CU Tube Std-Size

Rod-Size

## **Certifications And Compliance**

Certification - CSA Approved No Certification - ETL No Certification - UL Listed Direct Yes Burial Certification - UL Recognized No Certification - cULus No Industry Standard(s) **UL467** Standards - Industry Standards UL467 Standards - RoHS Compliance EX Status **UL** Listed Yes

## **Product Assets**

3D Models - GAR1529\_MODEL-STEP 3D Models - GAR1529\_MODEL-PDF 3D Models - GAR1529\_MODEL-IGES

Catalogs - BURNDY Master Catalog - Section E2 - Mechanical Grounding

Catalogs - BURNDY Master Catalog - Full Line BURNDY Catalog Customer Notices - Prop 65 Notice Interactive Catalog - BURNDY Full-Line Digital Catalog Product Cross Section Image(s) - BUR\_GAR\_Lineart Sales Drawings - SD..015789-01 Specifications - BURNDY\_GAR1529\_Specsheet Specifications - GAR1529



©2024 Hubbell Incorporated. All rights reserved BRDY\_MX-GAR1529-SPEC-EN | REV 10/2024