BRYANT®

Locking Devices, Bryant Power Interrupting, Industrial, Female Connector Body, 60A 600V AC, 4-Pole 5-Wire Grounding, Non-NEMA, Screw Terminal, Blue

By Bryant Catalog # 26516

Locking Devices, Bryant Power Interrupting, Industrial, Female Connector Body, 60A 600V AC, 4-Pole 5-Wire Grounding, Non-NEMA, Screw Terminal, Blue polycarbonate outer cover and adjustable cord grip



- Spring loaded safety shutter contains arcing when mating or un-mating devices under load
- Spring loaded safety shutter automatically ejects the plug eliminating contact teasing
- Box terminals in conjunction with stainless steel screws provide maximum termination strength and dependability
- Insulated, color coded metallic housing enhances safety and abuse resistance

Application

Heavy Duty Industrial

General

Color Blue

Environmental Conditions Indoor Dry Unless Protected

By Additional Means

InsulationInsulated BodyItem Type60A ConnectorMaterialCompositeMaterial - Mounting HardwareCord Mounted

Number Of Poles 4-Pole

OEM Brand Name Hubbell Bryant Style Grounding

Temperature Rating Maximum Continuous: 75° C; Minimum Continuous: -40° C

w/o impact, -25° with impact.

Type Connector Body UPC 781786574168



Dimensions

Dimensions 3.18 in x 3.18 in x 6.52 in
Display Size Standard Sized Product

Height 6.52 in Length 3.18 in Width 3.18 in

Electrical Ratings

Amperage Rating 60 A

Connectivity Pressure Terminal Screws

Current Rating 60 A
Voltage Rating 600 VAC
Voltage Rating Description 600 VAC

Conductor Related

Conductor Range #6 AWG to #4 AWG Number Of Conductors 5-Wire Grounding

Number Of Wires 5-Wir

Wire Size #18 AWG to #8 AWG

Logistics

Carton Quantity 5

Product Assets

Catalog Page - Bryant H-26 Catalog page Catalogs - Bryant Full Line Catalog

Related Products

26522 - Locking Devices, Bryant Power Interrupting, Industrial, Flanged Inlet, 60A 600V AC, 4-Pole 5-Wire Grounding, Non-NEMA, Screw Terminal, Blue

26519 - Locking Devices, Bryant Power Interrupting, Industrial, Male Plug, 60A 600V AC, 4-Pole 5-Wire Grounding, Non-NEMA, Screw Terminal, Blue

