BRYANT®

Locking Devices, Locking Devices, Industrial, Flanged Inlet, 50A 480V AC, 2-Pole 3-Wire Grounding, Non-NEMA, Screw Terminal, Black

By Bryant Catalog # CS8475A

Locking Devices, Industrial, Flanged Inlet, 50A 480V AC, 2-Pole 3-Wire Grounding, Non-NEMA, Screw Terminal, Heavy Duty Black



- Metallic flanged casing provides maximum strength and protection
- Thermoset interior provides superior heat resistance

Application

Extra Heavy Duty Industrial

General

Catalog Number CS8475A
Color Metallic
EU RoHS Indicator No

Environmental Conditions Indoor Dry Unless Protected By

Additional Means Insulated Body

Insulation Insulated Body
Item Type 50A Male Flanged Inlet

sort larged

Material Composite

Material - Mounting Hardware Screw Mounting

Number Of Poles 2-Pole

OEM Brand Name Hubbell Bryant Style Extra Heavy Duty

Temperature Rating Maximum Continuous: 75° C;

Minimum Continuous: -40° C

w/o impact

Type Flanged Inlet UPC 781786253322



Dimensions

 Height
 3.5 in

 Length
 2.77 in

 Width
 3.5 in

Electrical Ratings

Amperage Rating 50 A

Connectivity Pressure Terminal Screws

Current Rating 50 A

Dielectric Strength Withstands 3000V Minimum in

Voltage Rating 480 VAC Voltage Rating Description 480 VAC

Conductor Related

Number Of Wires 3-Wire

Wire Size #18 AWG to #8 AWG

Logistics

Carton Quantity 10

Product Assets

Catalog Page - BRY H-21 Catalog Page Catalogs - Bryant Full Line Catalog

Specifications - CS8475A

