BRYANT®

Single Pole Products, Male Inlet, **Threaded Stud Termination, 150 Amp Series, Blue**

By Bryant Catalog # HBL15MRSBL

Single Pole Products, Male Inlet, Threaded Stud Termination, 150 Amp Series, Blue

Features

- Threaded Stud Termination
- 150 Amp Series
- Blue

Application

Extra Heavy Duty Industrial

Performance

- Electrical Amperage Rating 150A Maximum
- Electrical Voltage Ratings 600V AC Maximum
- 250V DC Maximum
- Mechanical Product Identification Ratings are a permanent part of device
- Mechanical Terminal Accommodation #8 to #2 AWG

General

HBL15MRSBL Catalog Number

Color **EU RoHS Indicator**

Environmental Conditions Indoor Dry Unless Protected By

Additional Means

Item Type Material

Material - Mounting Hardware

Number Of Poles

Series

Specifications

Blue No

Male Inlet

Brass/Thermoplastic Screw Mounting

1-Pole

Series 15

• Base Compound -

Thermoplastic Elastomer (TPE)

- Contact Material Brass
- Mounting Hole 3x Ø .20"
- Retaining Screw Material -Nylon
- Termination 5/16-18 Threaded Stud

Style Male



Туре Receptacle, Stud Type **UPC** 783585458250

Dimensions

Display Size Standard Sized Product

Electrical Ratings

Amperage Rating 150 A

Threaded Stud Connectivity

Current / Amperage Rating 150 A

Current Rating 150 A Single Phase Phase

Voltage Rating Description 600V AC/DC 90000 Wattage

Conductor Related

Number Of Wires None

Wire Size #4 AWG Type SC/PPC Wire

Certifications And Compliance

• National Electric Code Industry Standard(s)

(NEC), ANSI/NFPA 70

• UL and cUL Listed

• UL Enclosure Types 3R, 4X,

Non-NEMA Nema Rating

Logistics

Carton Quantity 25

Product Assets

Catalog Page - WDK H-3 Catalog Page Catalogs - WDK Catalog Full 2024 Catalogs - Bryant Full Line Catalog Literature - Single Pole Devices Specifications - HBL15MRSBL

