BRYANT®

Single Pole Products, Male Inlet, Threaded Stud Termination, 150 Amp Series, Green

By Bryant Catalog # HBL15MRSGN

Single Pole Products, Male Inlet, Threaded Stud Termination, 150 Amp Series, Green

Features

- Threaded Stud Termination
- 150 Amp Series
- Green

Application

Extra Heavy Duty Industrial

Performance

- Electrical Amperage Rating 150A Maximum
- Electrical Voltage Ratings 600V AC Maximum
- 250V DC Maximum
- Mechanical Product Identification Ratings are a permanent part of device
- Mechanical Terminal Accommodation #8 to #2 AWG

General

Catalog Number HBL15MRSGN
Color Green
EU RoHS Indicator No

Environmental Conditions Indoor Dry Unless Protected By

Additional Means

Item Type Male Inlet

Material Brass/Thermoplastic

Material - Mounting Hardware Screw Mounting

Number Of Poles 1-Pole

Series Series 15

Specifications • Base Compound -

Thermoplastic Elastomer

(TPE)

• Contact Material - Brass

Mounting Hole - 3x Ø .20"

 Retaining Screw Material -Nylon

• Termination - 5/16-18 Threaded Stud

Style Male



Type Receptacle, Stud Type UPC 783585458267

Dimensions

Display Size Standard Sized Product

Electrical Ratings

Amperage Rating 150 A

Connectivity Threaded Stud

Current / Amperage Rating 150 A

Current Rating 150 A
Phase Single Phase

Voltage Rating Description 600V AC/DC

Wattage 90000

Conductor Related

Number Of Wires None

Wire Size #4 AWG Type SC/PPC Wire

Certifications And Compliance

Industry Standard(s) • National Electric Code

(NEC), ANSI/NFPA 70

UL and cUL Listed

UL Enclosure Types 3R, 4X,

12

Nema Rating Non-NEMA

Logistics

Carton Quantity 25 Pallet Quantity 4500

Product Assets

Catalog Page - WDK H-3 Catalog Page Catalogs - WDK Catalog Full 2024 Catalogs - Bryant Full Line Catalog Literature - Single Pole Devices Specifications - HBL15MRSGN

