# **BRYANT®**

# Heavy Duty Products, Single Pole Devices, Industrial Grade, Female, Receptacle, 300/400A 600V AC/DC, Single Conductor, Threaded Stud, Blue

By Bryant Catalog # HBLFRSBL

Heavy Duty Products, Single Pole Devices, Industrial Grade, Female, Receptacle, 300/400A 600V AC/DC, Single Conductor, Threaded Stud, Blue

#### **Features**

- · Industrial Grade
- Female
- Receptacle

#### **Application**

**High Ampacity Connections** 

### Performance

- Electrical Amperage Rating 400A Maximum
- Electrical Voltage Ratings 600V AC Maximum
- 250V DC Maximum
- Environmental Flammability HB per UL94 or CSA 22.2. 0.17
- Mechanical Product Identification Ratings are a permanent part of device
- Mechanical Terminal Accommodation #4 to 4/0 AWG

#### General

Catalog Number **HBLFRSBL** Color Blue **EU RoHS Indicator Environmental Conditions** Indoor Dry Unless Protected By Additional Means Item Type Panel Mount Receptacle Material Elastomer / Elastomeric Material - Mounting Hardware Threaded Thru-Hole Number Of Poles 1-Pole Series Series 16 Specifications • Base Compound -

 Base Compound -Thermoplastic Elastomer

• Contact Material - Brass

• Mounting Hole - 4x Ø .20"

Retaining Screw Material -

Termination - 1/2-13 UNC-2A

Threaded Stud Stud Type, Female



 Type
 Receptacle

 UPC
 783585112664

## **Dimensions**

Display Size Standard Sized Product

## **Electrical Ratings**

Amperage Rating 400 A
Connectivity Stud Type
Current / Amperage Rating 400 A
Current Rating 400 A
Phase Single Phase
Voltage Rating Description 600V AC/DC
Wattage 240000

## **Conductor Related**

Number Of Wires 1-Wire

Wire Size #4 AWG to #4/0 AWG

#### **Certifications And Compliance**

Industry Standard(s)

• National Electric Code

(NEC), ANSI/NFPA 70

UL and cUL Listed

• UL Enclosure Types 3R, 4X,

or riciosare r

Nema Rating Non-NEMA

## Logistics

Carton Quantity 25 Pallet Quantity 1575

## **Product Assets**

Catalog Page - WDK H-6 Catalog Page Catalogs - WDK Catalog Full 2024 Catalogs - Bryant Full Line Catalog Literature - Single Pole Devices

Style



©2024 Hubbell Incorporated. All rights reserved BRY-HBLFRSBL-SPEC-EN | REV 10/2024