BRYANT®

Switches and Lighting Controls, **Combination Devices, Residential** Grade, Decorator Series, 2) Single Pole Rockers, 15A 120V AC, Side Wired, Black

By Bryant Catalog # RCD101BK

Combination Devices, Residential Grade, Decorator Series, Two Single-Pole Rockers, 15A 120V AC, Side Wired

Features

- Smooth, quiet rocker
- Low profile, less than 1 inch deep
- · Self-grounding feature is standard

Application

Residential

Performance

- Electrical Dielectric voltage Withstands 1,500V AC minimum for 1 minute
- Electrical Endurance 30,000 cycles minimum
- Electrical Max. working voltage 120V
- Electrical Overload 1.5 times rating
- Environmental Flammability UL VO
- Environmental Operating temperatures Maximum continuous 60°C
- minimum -20°C (without impact)
- Mechanical Terminal accommodation Back and side wire: #14 AWG min. - #12 AWG max. solid and stranded copper wire only
- push wire: #14 AWG solid copper wire only

General

Action	Snap Switch
Actuator	Rocker
Catalog Number	RCD101BK
Contact Configuration	Two Position
EU RoHS Indicator	Yes
Environmental Conditions	Indoor Dry Unless Protected
	Additional Means
Item Type	Decorator Switch Combo
	Devices
Material - Mounting Hardware	Mounting Screws
Number Of Poles	2) Single Pole
Operating Cycles	30,000 Minimum



Operating Temperature	Max Continuous- 60 Degrees C,
	Minimum20 Without Impact
Specifications	 Base and body - PVC
	 Mounting strap - Galvanized
	steel
	Rocker - Polycarbonate
	Terminal screws - Steel
	Terminals - Brass
UPC	883778110245
Dimensions	
Display Size	Standard Size
Electrical Ratings	
Amperage Rating	15 A
Connectivity	Side Wired
Contact Rating	15A
Current / Amperage Rating	15 A
Current Rating	15 A
	15 A 120/277V AC kV

Certifications And Compliance

Industry Standard(s)	 CSA Certified 	
		UL Listed E3896

4155

Logistics

Βv

Wattage

Carton Quantity	10
Pallet Quantity	7200

Product Assets

Catalog Page - WDK Z-4 Catalog Page Catalogs - WDK Catalog Full 2024 Catalogs - Bryant Full Line Catalog Specifications - RCD101BK



A Hubbell brand

©2025 Hubbell Incorporated. All rights reserved BRY-RCD101BK-SPEC-EN | REV 1/2025