BRYANT®

Locking Devices, Industrial, Female Connector Body, 20A 3-Phase Wye 120/208V AC, 4-Pole 5-Wire Grounding, L21-20R, Screw Terminal, Black and White

By Bryant Catalog # 72120NC

Locking Devices, Industrial, Female Nylon Connector Body, 20A 3-Phase Wye 120/208V AC, 4-Pole 5-Wire Grounding, L21-20R, Screw Terminal, Black and White



Heavy Duty Industrial

General

Catalog Number 72120NC
Color Black, White

EU RoHS Indicator Yes

Environmental Conditions Indoor Dry Unless Protected By

Additional Means

Insulation Insulated Body
Item Type 20A Triple Gripp

20A Triple Gripper Nylon Connector

Material Composite

Material - Mounting Hardware Cord Mounted

Number Of Poles 4-Pole

Style Internal Cord Clamp

Temperature Rating Maximum Continuous: 75° C;

Minimum Continuous: -40° C w/o impact, -25° with impact.

Type Connector Body UPC 781786701298

Dimensions

Display Size Standard Sized Product

Height 3.9 in



Length 2.13 in

Electrical Ratings

Amperage Rating 20 A

Connectivity Screw Terminals

Current Rating 20 A

Voltage Rating 3 Phase Y 120/208 VAC Voltage Rating Description 3 Phase Y 120/208 VAC

Conductor Related

Conductor Range #14 AWG to #12 AWG

Number Of Wires 5-Wire

Number of Conductors 5-Wire Grounding
Wire Size #18 AWG to #8 AWG

Certifications And Compliance

Nema Rating L21-20R

Logistics

Carton Quantity 10

Product Assets

Catalogs - Bryant Full Line Catalog

Specifications - 72120NC

