



## B7920

by Burndy  
Catalog ID: B7920

Mold, Horizontal Cable Tap to Vertical Rebar, 1/0 AWG, #7 & Above Rebar, 115 Weld Metal.

Features: Type BCRE-6 Molds Are Recommended For Horizontal Conductors Terminating At Right Angles To Vertical Rebar Connections For Concentric Stranded Conductors 6 AWG Through 4/0 AWG Joined To Reinforcing Bars #3 Through #7 And Larger, The High Copper Content Joint Has A Higher Current Carrying Capacity Than The Conductors Being Joined And Is Impervious To Vibration And Moisture, Cartridge Type: Standard, Required Tools: B38-0309-00 Flint Ignitor, Includes: B-106 Handle Clamp And B40-0106-76 Vertical Chain Clamp, Conductor Type: Concentric Stranded Copper, Packing Material: B38406300 Ceramic Fiber, Rebar Size: #7 And Larger, Recommended Accessories: B38-3922-00 Mold Cleaning Brush, B38-0135-00 Cable Cleaning Brush, B38-0304-00 File

## Product Details

### General

Application	For Horizontal Conductors Terminating At Right Angles To Vertical Rebar Connections
Sub Brand	BURNDYWELD
Trade Name	BURNDYWeld®
Type	Molds
UPC	781810411162
UPC 12 Digit	7818104111622

### Conductor Related

Cable Size	1/0 AWG
Conductor - Copper Str Size	1/0 AWG
Conductor - Rebar Size Range	#7 & Larger
Conductor Type	<ul style="list-style-type: none"> <li>• CU C Str-Size</li> <li>• Rebar-Size</li> </ul>

### Certifications and Compliance

Standards - RoHS Compliance Status	CM
------------------------------------	----

### Logistics

Minimum Pack Quantity	1
-----------------------	---

**For further technical assistance, please contact us**

**BURNDY Headquarters**  
47 East Industrial Park Drive  
Manchester, New Hampshire 03109

**Customer Service Hours:**  
8 AM - 8 PM Eastern Monday-Friday  
Emergency Service 24-hours/365 Days  
Phone: 1-800-346-4175  
1-603-647-5299 (International)