



B8451

by Burndy Catalog ID: B8451

Mold, Horizontal Parallel Run Cables through Top of Ground Rod, 2/0 AWG, 250 Weld Metal, 5/8" Ground Rod.

Features: Type BCR-24 Molds Are Used To Join Horizontal Parallel Cables To The Top Of A Vertical Ground Rod, Size Range Is 4 AWG Through 750 KCMIL Concentric Stranded Copper Conductors, 1/2 IN Through 1 IN For The Ground Rod, Ground Rod Size: 5/8 IN, Conductor Type: Concentric Stranded Copper, Cartridge Type: Standard, Recommended Accessories: B38-3922-00 Mold Cleaning Brush, B38-0135-00 Cable Cleaning Brush, B38-0330-00 Cable Clamp, B38-0304-00 File, Required Tools: B38-0309-00 Flint Ignitor

Product Details

General

| Application | For Joining Horizontal Parallel Cables To The Top Of A Vertical Ground Rod |
|--------------|--|
| Sub Brand | BURNDYWELD |
| Туре | Molds |
| UPC | 781810392126 |
| UPC 12 Digit | 7818103921266 |

Conductor Related

| Conductor - Copper Str Tap | 2/0 AWG |
|----------------------------------|-----------------------|
| Conductor - Copper Str Tap Range | 2/0 AWG |
| Conductor - Rod Size | 5/8 in |
| Conductor - Rod Size Range | 5/8 in |
| Conductor Type | CU C Str-Tap Rod-Size |

Certifications and Compliance

| Standards - RoHS Compliance Status | СМ | |
|------------------------------------|----|--|
| | | |

Logistics

| Minimum Pack Quantity | 1 |
|-----------------------|---|
| | |

For further technical assistance, please contact us

BURNDY Headquarters

47 East Industrial Park Drive Manchester, New Hampshire 03109

Customer Service Hours:

8 AM - 8 PM Eastern Monday-Friday Emergency Service 24-hours/365 Days

Phone: 1-800-346-4175

1-603-647-5299 (International)