



Ladder Leakage Current Monitor Kit

by CHANCE Utility
Catalog ID: C4020288



The Chance Ladder Monitor Kit is used in connection with EHV Barehand maintenance procedure to detect microamp leakage on the ladder before it is placed into use. This is accomplished by connecting the meter to the ladder, and taking readings as the ladder is placed in contact with the conductor. It is recommended that readings be taken periodically during work progress to assure proper or optimum working conditions which could be altered by a change in the atmosphere. The kit consists of a 200 micro-amp scale microammeter, three clamps to effect use on a three-rail ladder, a cable with clips and adapter to establish contact, a bracket to ground and hold the meter on the structure and two dry cell batteries. Instruction drawings for field assembly are also included in the kit. Note: Operating instructions included.

Product Details

General

Style	Analog
UPC	096359243670

Dimensions

Weight	7.35 lb
--------	---------

Logistics

Pallet Quantity	40 EA
-----------------	-------

For further technical assistance, please contact us

Domestic Customer Service

Hubbell Power Systems
210 N. Allen Centralia, MO 65240 USA
Phone: (573) 682-5521
Fax: (573) 682-8475
Email: hpscsc@hubbell.com

International Customer Service

Phone: +1-573-682-5521
Fax: +1-573-682-8516
Email: hpsintlcs@hubbell.com