CHANCE®

27 kV, 125 kV BIL, Type C Standard Polymer Cutout / Arrester Combination w/100A 8kAIC fuseholder

By CHANCE Utility Catalog # CP71DN211LBM

27 kV, 125 kV BIL, Standard Type C Polymer Cutout / Arrester Combination with a 100A, 8kAIC fuseholder, large eyebolt connector and a NEMA "B" crossarm bracket.

*Representative Image



Logistics

Standard Package

Product Assets

(VI10005E)

Catalogs - Type C-Polymer Cutouts (10AA)
Literature - Switching Line Card_FAQ_2019
Sales Drawings - Cutout Arrester 27 KV Polymer
Video - Hubbell Power Systems Cutout Seminar, Part 2:
Experience (VI10004E)
Video - Hubbell Power Systems Cutout Seminar, Part 3: Quality

Features

- Fully Compliant with ANSI/IEEE C37.41 & C37.42 2016
- Interchangeable with ABB Type ICX & S&C(MPS) Type XS
- Single Vent Solid Cap Design
- · Uses Universal Style Fuse Links
- Synthetic Arc Quenching Fuse Holder Liner Material
- ESP (Enhanced Silicone Polymer) Insulating Material
- DG (Thermal Diffusion Galvanization) Insulator Assembly Castings
- Ohio Brass Distribution Class Arresters in Standard, Heavy and Riser Pole Duty Ratings
- Non Interchangeable Mounting Assembly

General

Type

Bracket Type NEMA "B" Heavy Duty for crossarm

Description - Replacement T710-211TM

Fuse Holder

Cutout

