

Compression Deadend

By FARGO Catalog # A091234NT

Compression Deadend, Uni-Grip, Single Tongue, Adjustable Clevis, for ACSR 636 kcmil 30/19, Without Terminal



Features

- For use with ACSR code name Egret
- Full tension Deadend assembly
- Steel Adjustible Clevis threaded stub factory compressed in deadend
- · Prefilled with joint compound
- "NT" suffix eliminates Jumper Terminal & Mounting Hardware

General

Die Size Material Material - Body Material - Clevis Material - Hardware Material - Pin (Cotter) Number of Bolt Holes Press Minimum Product Category Style

Compression Method

Terminal Option Туре

Uni-Grip (single die system) 12CD Aluminum: Steel Seamless Extruded Aluminum Alloy Galvanized Forged Steel Aluminum Alloy #304 Stainless Steel 4 60 to Adjustable Clevis Uni-Grip, Single Tongue, Adjustable Clevis No Compression

Dimensions

Bolt Diameter Diameter - Clamping Hardware	1.000 in 0 in
Diameter - Outside	1.019 in
Length Before Compression	25.2 in
Maximum Adjustment	3.5 in
Messenger Diameter Range	0 - 0
Width - Pad	3 in

Electrical Ratings

Voltage Application	
---------------------	--

Conductor Related

Clamping Range	0-0
Conductor Compatibility	ACSR-Egret-636-30/19
Conductor Diameter (Main) Range	0 - 0

EHV; Standard

Product Assets

Catalogs - Transmission Connectors Catalog - Full (CA05063E)

