

Compression Deadend

By FARGO Catalog # SEDA3318

Compression Deadend, Conventional 2-Die, Single Tongue, for ACSR 795.0 kcmil 45/7, With Terminal



*Representative Image

Features

- For use with ACSR code name Tern
- Full tension Deadend assembly
- Joint Compond purchased separately
- Jumper Terminal & Mounting Hardware included

General

Type UPC

Aluminum Die	30AH
Compression Method	Conventional (2 die system)
EU RoHS Indicator	No
Inhibitor Loaded	No
Material	Aluminum; Steel
Material - Body	Seamless Extruded Aluminum Alloy
Material - Eye	Galvanized Forged Steel
Material - Hardware	Aluminum Alloy
Material - Terminal	Seamless Extruded Aluminum Alloy
Number of Bolt Holes	4
Press Minimum	60 to
Product Category	Assemblies
Style	Conventional 2-Die, Single Tongue

Dimensions

Diameter - Clamping Hardware	O in
Diameter - Outside	1.063 in
Length Before Compression	19.3 in
Messenger Diameter Range	0 - 0
Weight	9.250 lb
Width - Pad	3 in

Electrical Ratings

Voltage Application	EHV; Standard
---------------------	---------------

Conductor Related

Cl:	D		\sim	\sim	
Clamping	Range	,	0-	U	

Conductor Compatibility ACSR-Tern-795-45/7

Conductor Diameter (Main) 0 - 0

Range

Product Assets

Catalogs - Transmission Connectors Catalog - Full (CA05063E)

Video - Installation of Hubbell's Conventional Compression Deadends for ACSR and ACSS Conductors(VI05053E0720)

Compression

096359498339