



# RED ALERT® Emergency Telephone

## - Model 397-002

By GAI-Tronics  
Catalog # 397-002

GAI-TRONICS' RED ALERT® Emergency Telephones are designed to provide clear and reliable communications in almost any environment. The Model 397-00x is considered to be Type-3R weatherproof compliant when installed in a GAI-Tronics surface-mount enclosure, free-standing stanchion, wall-mount stanchion or simply recessed into an existing wall.

### Features

- Weather-resistant (Type 3R) Flush-Mount Design
- Telephone Line Powered, (No Battery or External Power Required for Telephone Operation)
- Large “Palm” Activation HELP Pushbutton For Emergency Call
- Standard or SMART Operation
- Auto Answer (with Silent Monitoring)
- (2) Programmable Auxiliary Outputs for Peripheral Equipment Control
- Operating Range of -20°C to +60°C
- Call Received When Lit LED
- 3-Number Rollover
- UL/CSA 60950 Compliant
- FCC Part 68 Certified
- ADA Compliant
- Monitored by TMA (Telephone Management Application) Software
- Voice Annunciation Option

### General

Catalog Number	397-002
Color	Silver
Connectivity Options	Analog
Mount location	Flush-Mount
Output Level Speaker	87 dB @ 1 M
Signal Type	Analog



Specifications  
Type  
Weather Rating

UL/CSA, FCC, IC  
Emergency Telephones  
Type 3R

### Dimensions

Dimensions	2.38 in x 10.0 in x 12.0 in
Height	12 in
Length	2.38 in
Weight	6.5 lb
Width	10 in

### Electrical Ratings

Input Voltage	Phone Line
Signal	Phone Line

### Certifications And Compliance

Certified Listed	UL/CSA, FCC, IC
------------------	-----------------

### Product Assets

- [Brochures - Red Alert Telephone Brochure](#)
- [Installation Manuals - RED ALERT® 300 Series Emergency Telephone Manual](#)
- [Installation Manuals - Telephone Installation Safety Rules](#)
- [Literature - Telephone Management Application \(TMA\)](#)
- [Literature - RED ALERT Hands-free Telephones](#)
- [Specifications - 397-002](#)