



VML-X Series LED Area light 40 Watt, 120-277VAC, 5000 Lumen 3/4" Ceiling Mount

By Killark
Catalog # [VML1X530X2G](#)



The VML-X Series is an Area Light fixture using energy efficient LED's. The redesigned CertiLite VML-X uses optics on the LED's to direct the light to where it is needed. This fixture is made with a cast copper-free aluminum housing and mount that is suitable for harsh and hazardous environments. The design of this fixture internal heat sink keeps a clean look on the outside of the fixture creating a LED fixture that does not contain external heat fins. Easily Retro fit any old HID or LED fixture to the new VML-X for a cleaner more efficient light.

Features

- Energy Efficient and Long Life LED's
- Walkway Optic patterns
- Easy Retrofit to Competitors
- Finless Design
- Lighter Weight
- LED Color of 5000K with 80 CRI
- Wildlife Friendly Color options

Application

- Class I Division 2 Hazardous Locations
- Class II Hazardous Dust
- Zone 2 Hazardous Locations
- Off and On Shore Oil and Gas
- Wet and Marine Locations
- Food and Beverage
- Heavy Industrial

General

| | |
|-------------------|--------------------|
| Color Temperature | 5000 K |
| Finish Type | Powder Epoxy Paint |
| Light Source | LED |
| Lumen Range | 5,000 - 9,000 lm |
| Lumens | 5000 |
| Mounting Type | Ceiling |
| Optic Type | Glass Globe |
| Series | VML-X |

Dimensions

| | |
|----------|------|
| Hub Size | 3/4" |
|----------|------|

Electrical Ratings

| | |
|---------------------------|-------------|
| Current / Amperage Rating | 0.46-0.20 A |
| Frequency Rating | 50-60 Hz |
| Voltage Rating | 120-277 VAC |
| Wattage | 40 W |

Certifications and Compliance

| | |
|---------------------|--|
| Hazardous Rating(s) | <ul style="list-style-type: none"> • Class I, Div2, Groups A,B,C,D • Class I, Zone 2, Groups IIC, IIB, IIA • Class II, Div. 1&2, Groups E,F,G • IECEx QPS 15.0006 • Ex ec IIC T4/T3 Gc • Ex tb IIIC T4/T3 Db • QPS 22ATEX7000 |
|---------------------|--|

Product Assets

- [Brochures - VML-X Series Hazardous Location Luminaires Brochure](#)
- [Brochures - VML-X Series for Harsh and Hazardous Environments](#)
- [Catalog Page - VML-X Series Catalog Pages](#)
- [Certifications - VMLX/VM4L Series ATEX Certificate](#)
- [Certifications - VMLX Series QPS North American Certification](#)
- [Certifications - VMLX/VM4L Series EU Type ATEX Certificate](#)
- [Installation Manuals - VMLX Series IOM K1531](#)
- [Photometry - KIL_VML1X530N](#)
- [Photometry - KIL_VML1X530NAR](#)
- [Video - VML-X Features and Benefits](#)



A proud member of the Hubbell Family.

