KILLARK[®]

VML-X Series LED Area light 55 Watt, 120-277VAC, 7000 Lumen 1-1/2" Straight Stanchion

By Killark Catalog # VML1X730S5G

The VML-X Series is an Area Light fixture using energy efficient LED's. The redesigned CertiLite VML-X uses optics on the LED's to direct the light to where it is needed. This fixture is made with a cast copper-free aluminum housing and mount that is suitable for harsh and hazardous environments. The design of this fixture internal heat sink keeps a clean look on the outside of the fixture creating a LED fixture that does not contain external heat fins. Easily Retro fit any old HID or LED fixture to the new VML-X for a cleaner more efficient light.

Features

Wildlife Friendly Color options

General

Application

Catalog Number Color Temperature

Finish Type

Light Source

Lumens

Series

Lumen Range

Mounting Type Optic Type

Food and Beverage Heavy Industrial VML1X730S5G 5000 K Powder Epoxy Paint I FD 5,000 - 9,000 lm 7000 Straight Stanchion Glass Globe

0.46-0.20 A

120-277 VAC

50-60 Hz

55 W

Dimensions

Hub Size

Electrical Ratings

Current / Amperage Rating Frequency Rating Voltage Rating Wattage

Class | Division 2 Hazardous Locations Class II Hazardous Dust Zone 2 Hazardous Locations Off and On Shore Oil and Gas Wet and Marine Locations VML-X 1-1/2"



Certifications And Compliance

Hazardous Rating(s)

Class I, Div2, Groups A,B,C,D Class I, Zone 2, Groups IIC, IIB, IIA Class II, Div. 1&2, Groups E,F,G **IECEX QPS 15.0006** Ex ec IIC T4/T3 Gc Ex tb IIIC T4/T3 Db QPS 22ATEX7000

Product Assets

Brochures - VML-X Series for Harsh and Hazardous **Environments** Brochures - VML-X Series Hazardous Location Luminaires **Brochure** Catalog Page - VML-X Series Catalog Pages Catalogs - Killark Catalog Certifications - VMLX/VM4L Series EU Type ATEX Certificate Certifications - VMLX & VM4L Series Attesation of Conformity Certifications - VMLX & VM4L Series IECEx Certification Certifications - VMLX/VM4L Series ATEX Certificate Certifications - VMLX Series QPS North American Certification Installation Manuals - VMLX Series IOM K1531 Photometry - KIL VML1X730NAR Photometry - KIL_VML1X730N-GREEN Photometry - KIL VML1X730NDR Photometry - KIL VML1X730N-AMBER Video - VML-X Features and Benefits



A Hubbell brand

©2024 Hubbell Incorporated. All rights reserved KILL-VML1X730S5G-SPEC-EN | REV 6/2024