



VML-X Series LED Area light 140 Watt, 120-277VAC, 18000 Lumen 1-1/2" Straight Stanchion

By Killark

Catalog # [VML2X1830S5G](#)



The VML-X Series is an Area Light fixture using energy efficient LED's. The redesigned CertiLite VML-X uses optics on the LED's to direct the light to where it is needed. This fixture is made with a cast copper-free aluminum housing and mount that is suitable for harsh and hazardous environments. The design of this fixture internal heat sink keeps a clean look on the outside of the fixture creating a LED fixture that does not contain external heat fins. Easily Retro fit any old HID or LED fixture to the new VML-X for a cleaner more efficient light.

Application

- Class I Division 2 Hazardous Locations
- Class II Hazardous Dust
- Zone 2 Hazardous Locations
- Off and On Shore Oil and Gas
- Wet and Marine Locations
- Food and Beverage
- Heavy Industrial

General

Catalog Number	VML2X1830S5G
Color Temperature	5000 K
Finish Type	Powder Epoxy Paint
Light Source	LED
Lumen Range	12,000 - 18,000 lm
Lumens	18000
Mounting Type	Straight Stanchion
Optic Type	Glass Globe
Series	VML-X

Dimensions

Hub Size	1-1/2"
----------	--------

Electrical Ratings

Current / Amperage Rating	1.17-0.51 A
Frequency Rating	50-60 Hz
Voltage Rating	120-277 VAC
Wattage	140 W

Certifications And Compliance

Hazardous Rating(s)	<ul style="list-style-type: none">• Class I, Div2, Groups A,B,C,D• Class I, Zone 2, Groups IIC, IIB, IIA• Class II, Div. 1&2, Groups E,F,G• IECEx QPS 15.0006• Ex ec IIC T4/T3 Gc• Ex tb IIIC T4/T3 Db• QPS 22ATEX7000
---------------------	--

Product Assets

[Brochures - VML-X Series Hazardous Location Luminaires Brochure](#)
[Brochures - VML-X Series for Harsh and Hazardous Environments](#)
[Catalog Page - VML-X Series Catalog Pages](#)
[Catalogs - Killark Catalog](#)
[Certifications - VMLX/VM4L Series EU Type ATEX Certificate](#)
[Certifications - VMLX & VM4L Series Attestation of Conformity](#)
[Certifications - VMLX Series QPS North American Certification](#)
[Certifications - VMLX/VM4L Series ATEX Certificate](#)
[Certifications - VMLX & VM4L Series IECEx Certification](#)
[Installation Manuals - VMLX Series IOM K1531](#)
[Photometry - KIL_VML2X1830NAR](#)
[Photometry - KIL_VML2X1830NDR](#)
[Photometry - KIL_VML2X1830N](#)
[Specifications - VML2X1830S5G](#)
[Video - VML-X Features and Benefits](#)



A Hubbell brand

©2025 Hubbell Incorporated. All rights reserved
KILL-VML2X1830S5G-SPEC-EN | REV 3/2025