

"GO" to "GZ" OPERATOR CROSS REFERENCE

SINGLE PUSH BUTTON - MOMENTARY CONTACT					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
GO21-RZ2B	GZ21-RZ3	G01-RX2B N34	GZ1-RX3	GOL1R2	GZL1R3
GO21-RZ3C		G01-RX3C N34		GOL1R3	
GO21-RZ0C	N/A	G01-RX0C N34	N/A	GOL1R	N/A
GO21-GZ1B	GZ21-GZ3	G01-GX1B N34	GZ1-GX3	GOL1G1	GZL1G3
GO21-GZ3C		G01-GX3C N34		GOL1G3	
GO21-GZ0C	N/A	G01-GX0C N34	N/A	GOL1G	N/A
GO21-KZ1C	GZ21-KZ3	G01-KX1C N34	GZ1-KX3	GOL1K1	GZL1K3
GO21-KZ2C		G01-KX2C N34		GOL1K2	
GO21-KZ3C		G01-KX3C N34		GOL1K3	
GO21-KZ0C	N/A	G01-KX0C N34	N/A	GOL1K	N/A

SINGLE PUSH BUTTON - MAINTAINED CONTACT - MUSHROOM HEAD PUSH-PULL RELEASE					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
GOM21-GM3C	GZMP21-GM3	GOM1-GM3C N34	GZMP1-GM3	GOML1G3	GZMPL1G3
GOM21-RM3C	GZMP21-RM3	GOM1-RM3C N34	GZMP1-RM3	GOML1R3	GZMPL1R3
GOM21-KM3C	GZMP21-KM3	GOM1-KM3C N34	GZMP1-KM3	GOML1K3	GZMPL1K3
GOM21-GM0C	N/A	GOM1-GM0C N34	N/A	GOML1G	N/A
GOM21-RM0C		GOM1-RM0C N34		GOML1R	
GOM21-KM0C		GOM1-KM0C N34		GOML1K	

NEW					
SINGLE PUSH BUTTON - MAINTAINED CONTACT - RED MUSHROOM HEAD PUSH-TWIST RELEASE					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
N/A	GZMT21-RM3	N/A	GZMT1-RM3	N/A	GZMTL1R3

NEW					
SINGLE PUSH BUTTON - MAINTAINED CONTACT - RED MUSHROOM HEAD PUSH-KEY RELEASE					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
N/A	GZMK21-RM3	N/A	GZMK1-RM3	N/A	GZMKL1R3

DOUBLE PUSH BUTTON - MOMENTARY CONTACT - "GZ" Double Push Button is currently under development.					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
GO22-GR12D	TBD	GO2-GR12D N34	TBD	GOL2GR12	TBD
GO22-KK12D	TBD	GO2-KK12D N34	TBD	GOL2KK12	TBD
GO22-GR33D	TBD	GO2-GR33D N34	TBD	GOL2GR33	TBD
GO22-KK33D	TBD	GO2-KK33D N34	TBD	GOL2KK33	TBD
GO22-GR00D	N/A	GO2-GR00D N34	N/A	GOL2GR	N/A
GO22-KK00D		GO2-KK00D N34		GOL2KK	

DOUBLE PUSH BUTTON - MAINTAINED CONTACT					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
N/A	N/A	GOR11-GR6D N34	N/A	N/A	N/A
N/A	N/A	GOR11-GR7D N34	N/A	N/A	N/A
N/A	N/A	GOR11-GR8D N34	N/A	N/A	N/A
N/A	N/A	GOR11-GROD N34	N/A	N/A	N/A

PILOT LIGHTS - 120V AC/DC					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED
GO23-A23C	GZ23-A23	GOB3-A23C N34	GZB3-A23	GOL3A	GZL3A23
GO23-B23C	GZ23-B23	GOB3-B23C N34	GZB3-B23	GOL3B	GZL3B23
GO23-C23C	GZ23-C23	GOB3-C23C N34	GZB3-C23	GOL3C	GZL3C23
GO23-F23C		GOB3-F23C N34		GOL3F	
GO23-G23C	GZ23-G23	GOB3-G23C N34	GZB3-G23	GOL3G	GZL3G23
GO23-R23C	GZ23-R23	GOB3-R23C N34	GZB3-R23	GOL3R	GZL3R23

PILOT LIGHTS - 120V AC/DC LED					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED
N/A	GZ23-A23	GOB3-A23C N34 LED	GZB3-A23	GOL3A LED	GZL3A23
N/A	GZ23-G23	GOB3-G23C N34 LED	GZB3-G23	GOL3G LED	GZL3G23
N/A	GZ23-R23	GOB3-R23C N34 LED	GZB3-R23	GOL3R LED	GZL3R23
N/A	GZ23-B23	N/A	GZB3-B23	N/A	GZL3B23
N/A	GZ23-C23	N/A	GZB3-C23	N/A	GZL3C23

PILOT LIGHTS - 24V AC/DC					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED
GO23-A4C	GZ23-A4	GOB3-A4C N34	GZB3-A4	N/A	GZL3A4
GO23-G4C	GZ23-G4	GOB3-G4C N34	GZB3-G4	N/A	GZL3G4
GO23-R4C	GZ23-R4	GOB3-R4C N34	GZB3-R4	N/A	GZL3R4
GO23-F4C	GZ23-C4	GOB3-F4C N34	GZB3-C4	N/A	GZL3C4
N/A	GZ23-B4	N/A	GZB3-B4	N/A	GZL3B4

NEW - PILOT LIGHTS - 220V/240V AC					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED
N/A	GZ23-A24	N/A	GZB3-A24	N/A	GZL3A24
N/A	GZ23-G24	N/A	GZB3-G24	N/A	GZL3G24
N/A	GZ23-R24	N/A	GZB3-R24	N/A	GZL3R24
N/A	GZ23-C24	N/A	GZB3-C24	N/A	GZL3C24
N/A	GZ23-B24	N/A	GZB3-B24	N/A	GZL3B24

ILLUMINATED PUSH BUTTON or PUSH TO TEST - 120V AC/DC					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED
N/A	GZ24-A233	GOB4-A233C N34	GZB4-A233	GOL4A3	GZL4A233
N/A	GZ24-B233	GOB4-B233C N34	GZB4-B233	GOL4B3	GZL4B233
N/A	GZ24-C233	GOB4-C233C N34	GZB4-C233	GOL4C3	GZL4C233
N/A		GOB4-F233C N34		GOL4F3	
N/A	GZ24-G233	GOB4-G233C N34	GZB4-G233	GOL4G3	GZL4G233
N/A	GZ24-R233	GOB4-R233C N34	GZB4-R233	GOL4R3	GZL4R233
N/A	N/A	GOB4-A230C N34	N/A	GOL4A	N/A
N/A	N/A	GOB4-B230C N34	N/A	GOL4B	N/A
N/A	N/A	GOB4-C230C N34	N/A	GOL4C	N/A
N/A	N/A	GOB4-F230C N34	N/A	GOL4F	N/A
N/A	N/A	GOB4-G230C N34	N/A	GOL4G	N/A
N/A	N/A	GOB4-R230C N34	N/A	GOL4R	N/A

ILLUMINATED PUSH BUTTON or PUSH TO TEST - 120V AC/DC LED					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED
N/A	GZ24-A233	GOB4-A233C N34 LED	GZB4-A233	GOL4A3 LED	GZL4A233
N/A	GZ24-G233	GOB4-G233C N34 LED	GZB4-G233	GOL4G3 LED	GZL4G233
N/A	GZ24-R233	GOB4-R233C N34 LED	GZB4-R233	GOL4R3 LED	GZL4R233
N/A	GZ24-C233	N/A	GZB4-C233	N/A	GZL4C233
N/A	GZ24-B233	N/A	GZB4-B233	N/A	GZL4B233
N/A	N/A	GOB4-A230C N34 LED	N/A	GOL4A LED	N/A
N/A	N/A	GOB4-G230C N34 LED	N/A	GOL4G LED	N/A
N/A	N/A	GOB4-R230C N34 LED	N/A	GOL4R LED	N/A

CENELEC PILOT LIGHTS - 120V AC/DC					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED
N/A	GZ23-A23	GOB3-A23C N34CN	GZB3-A23	GOL3ACN	GZL3A23
N/A		GOB3-A23C N34LEDCN		GOL3ALEDCN	
N/A	GZ23-B23	GOB3-B23C N34CN	GZB3-B23	GOL3BCN	GZL3B23
N/A	GZ23-C23	GOB3-C23C N34CN	GZB3-C23	GOL3CCN	GZL3C23
N/A		GOB3-F23C N34CN		GOL3FCN	
N/A	GZ23-G23	GOB3-G23C N34CN	GZB3-G23	GOL3GCN	GZL3G23
N/A		GOB3-G23C N34LEDCN		GOL3GLEDCN	
N/A	GZ23-R23	GOB3-R23C N34CN	GZB3-R23	GOL3RCN	GZL3R23
N/A		GOB3-R23C N34LEDCN		GOL3RLEDCN	

CENELEC ILLUMINATED PUSH BUTTON or PUSH TO TEST - 120V AC/DC

SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED
N/A	GZ24-A233	GOB4-A233CN34CN	GZB4-A233	GOL4A3CN	GZL4A233
N/A	GZ24-B233	GOB4-B233CN34CN	GZB4-B233	GOL4B3CN	GZL4B233
N/A	GZ24-C233	GOB4-C233CN34CN	GZB4-C233	GOL4C3CN	GZL4C233
N/A	GZ24-F233	GOB4-F233CN34CN		GOL4F3CN	
N/A	GZ24-G233	GOB4-G233CN34CN	GZB4-G233	GOL4G3CN	GZL4G233
N/A	GZ24-R233	GOB4-R233CN34CN	GZB4-R233	GOL4R3CN	GZL4R233
N/A	N/A	GOB4-A230CN34CN	N/A	GOL4A0CN	N/A
N/A	N/A	GOB4-B230CN34CN	N/A	GOL4B0CN	N/A
N/A	N/A	GOB4-C230CN34CN	N/A	GOL4C0CN	N/A
N/A	N/A	GOB4-F230CN34CN	N/A	GOL4F0CN	N/A
N/A	N/A	GOB4-G230CN34CN	N/A	GOL4G0CN	N/A
N/A	N/A	GOB4-R230CN34CN	N/A	GOL4R0CN	N/A

NEW - CENELEC ILLUMINATED PUSH BUTTON or PUSH TO TEST - 24V AC/DC

SHORT		LONG		EXTENDED	
N/A	GZ24-A243	N/A	GZB4-A43	N/A	GZL4A43
N/A	GZ24-B243	N/A	GZB4-B43	N/A	GZL4B43
N/A	GZ24-C243	N/A	GZB4-C43	N/A	GZL4C43
N/A	GZ24-G243	N/A	GZB4-G43	N/A	GZL4G43
N/A	GZ24-R243	N/A	GZB4-R43	N/A	GZL4R43

NEW - CENELEC ILLUMINATED PUSH BUTTON or PUSH TO TEST - 220V/240V AC

SHORT		LONG		EXTENDED	
N/A	GZ24-A243	N/A	GZB4-A243	N/A	GZL4A243
N/A	GZ24-B243	N/A	GZB4-B243	N/A	GZL4B243
N/A	GZ24-C243	N/A	GZB4-C243	N/A	GZL4C243
N/A	GZ24-G243	N/A	GZB4-G243	N/A	GZL4G243
N/A	GZ24-R243	N/A	GZB4-R243	N/A	GZL4R243

CENELEC ILLUMINATED PUSH BUTTON or PUSH TO TEST - 120V AC/DC LED

SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED	"GO" P/N	"GZ" P/N LED
N/A	GZ24-A233	GOB4-A233CN34LEDCN	GZB4-A233	GOL4A3LEDCN	GZL4A233
N/A	GZ24-G233	GOB4-G233CN34LEDCN	GZB4-G233	GOL4G3LEDCN	GZL4G233
N/A	GZ24-R233	GOB4-R233CN34LEDCN	GZB4-R233	GOL4R3LEDCN	GZL4R233
N/A	GZ24-B233	N/A	GZB4-B233	N/A	GZL4B233
N/A	GZ24-C233	N/A	GZB4-C233	N/A	GZL4C233
N/A	N/A	GOB4-A230CN34LEDCN	N/A	GOL4A0LEDCN	N/A
N/A	N/A	GOB4-G230CN34LEDCN	N/A	GOL4G0LEDCN	N/A
N/A	N/A	GOB4-R230CN34LEDCN	N/A	GOL4R0LEDCN	N/A

SELECTOR SWITCH MAINTAINED					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
GO25-2A3F	GZ25-2A3	GO5-2A3F N34	GZ5-2A3	GOL52A3	GZL52A3
GO25-3C3G	GZ25-3C3	GO5-3C3G N34	GZ5-3C3	GOL53C3	GZL53C3
GO25-4H8H	N/A	GO5-4H8H N34	N/A	GOL54H8	N/A
GO25-2A0F	N/A	GO5-2A0F N34	N/A	GOL52A	N/A
GO25-3C0G	N/A	GO5-3C0G N34	N/A	GOL53C	N/A
GO25-4H0H	N/A	GO5-4H0H N34	N/A	GOL54H	N/A

SELECTOR SWITCH SPRING RETURN					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
GO26-3F	GZ26-3	GO6-3F N34	GZ6-3	GOL63	GZL63
GO27-6G	GZ27-6	GO7-6G N34	GZ7-6	GOL76	GZL76
GO34-6G	GZ34-6	GO14-6G N34	GZ14-6	GOL146	GZL146
GO35-6G	GZ35-6	GO15-6G N34	GZ15-6	GOL156	GZL156
GO26-0F	N/A	GO6-0F N34	N/A	GOL6	N/A
GO27-0G	N/A	GO7-0G N34	N/A	GOL7	N/A
GO34-0G	N/A	GO14-0G N34	N/A	GOL14	N/A
GO35-0G	N/A	GO15-0G N34	N/A	GOL15	N/A

KEYED SELECTOR SWITCH MAINTAINED					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
GO28-2A3F22D	GZ28-2A3	GO8-2A3F22D N34	GZ8-2A3	GOL82A322D	GZL82A3
GO28-3C3G32D	GZ28-3C3	GO8-3C3G32D N34	GZ8-3C3	GOL83C332D	GZL83C3
GO28-2A0F22D	N/A	GO8-2A0F22D N34	N/A	GOL82A022D	N/A
GO28-3C0G32D	N/A	GO8-3C0G32D N34	N/A	GOL83C032D	N/A

KEYED SELECTOR SWITCH SPRING RETURN					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
GO56-2L3F22D	GZ56-2L3	GO36-2L3F22D N34	GZ36-2L3	GOL36L322D	GZL36L3
GO57-3C6G32D	GZ57-3C6	GO37-3C6G32D N34	GZ37-3C6	GOL37C632D	GZL37C6
GO58-3L6G32D	GZ58-3L6	GO38-3L6G32D N34	GZ38-3L6	GOL38L632D	GZL38L6
GO59-3R6G32D	GZ59-3R6	GO39-3R6G32D N34	GZ39-3R6	GOL39R632D	GZL39R6
GO56-2L0F22D	N/A	GO36-2L0F22D N34	N/A	GOL36L022D	N/A
GO57-3C0G32D	N/A	GO37-3C0G32D N34	N/A	GOL37C032D	N/A
GO58-3L0G32D	N/A	GO38-3L0G32D N34	N/A	GOL38L032D	N/A
GO59-3R0G32D	N/A	GO39-3R0G32D N34	N/A	GOL39R032D	N/A

NOTE - Selector Switches to be ordered complete with contact configuration as required.

Adder block not available for field installation. See "GZ" brochure for additional contact offerings.

G SNAP SWITCH OPERATOR					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
GO30-31F	N/A	GO10-31F N34	N/A	N/A	N/A
GO30-33F	N/A	GO10-33F N34	N/A	N/A	N/A

G POTENTIOMETER OPERATOR - GZ SERIES SUPPLIED WITH POTENTIOMETER					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
SINGLE TURN					
GO133	N/A	GO113 N34	N/A	GOL113	N/A
N/A	GZ133-2K2	N/A	GZ113-2K2	N/A	GZL113-2K2
N/A	GZ133-4K7	N/A	GZ113-4K7	N/A	GZL113-4K7
N/A	GZ133-10K	N/A	GZ113-10K	N/A	GZL113-10K
MULTI TURN					
GO134	N/A	GO114 N34	N/A	GOL114	N/A
N/A	GZ134-2K	N/A	GZ114-2K	N/A	GZL114-2K
N/A	GZ134-5K	N/A	GZ114-5K	N/A	GZL114-5K
N/A	GZ134-10K	N/A	GZ114-10K	N/A	GZL114-10K

NOTE - GZ Operators are now supplied with electrical device as standard;

2k2 = 2200 Ohms, 2k = 2000 Ohms, 4k7 = 4700 Ohms, 5k = 5000 Ohms, 10k = 10,000 Ohms

RESET OPERATOR					
SHORT		LONG		EXTENDED	
"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N	"GO" P/N	"GZ" P/N
GO40-KX2C	N/A	GO-RST	GZ-RST-KX120	GOLRST	GZLRST-KX120

NOTE - RESET SHAFT 4.72" LONG WITH .62 DIA. DISC. CUT TO DESIRED LENGTH.

GZ CONTACT BLOCKS - TWO BLOCKS MAX.			
GO CATALOG NUMBER	GZ CATALOG NUMBER	DESCRIPTION	COLOR CODE
GO-8673-BJKJ	SGE-E111SG	1 N.O. / 1 N. C.	RED/GREEN
GO-8673-BJK	SGE-E110SG	1 N.O.	GREEN
GO-8673-BJJ	SGE-E101SG	1 N. C.	RED
N/A	SGE-E120SG	2 N.O.	GREEN
N/A	SGE-E102SG	2 N. C.	RED

LOCKOUTS			
GO CATALOG NUMBER	GZ CATALOG NUMBER	DESCRIPTION	MATERIAL
GO-10502	GZPBMMDHLO	DEPRESS MOM. P.B.	NON-METALLIC
N/A	GZMRPPBLO	MUSH. PUSH PULL L.O.	STAINLESS STEEL
	GZMRTPBLO	MUSH. PUSH TWIST L.O.	STAINLESS STEEL
	GZPBMMRHLO	MOM. P.B. COVER	NON-METALLIC
GO567-LOK	GZSSLO	SEL. SWT. LOCKOUT	BLK. PAINT S.S.

NOTE - "GZ" LOCKOUTS FOR USE ON "GZ" OPERATORS ONLY.

INFORMATIONAL DATA

NOTE 1 - All "GZ" Push Button Operators have as standard one universal contact block.

To achieve additional contact configurations order "SGE" blocks above for field assembly.

i.e. If 3 Normally Closed contacts are required on operator; Order one SGE-E102SG.

Selector Switches to be ordered complete with contact configuration as required. No adder block.

NOTE 2 - Push Buttons are supplied Less Legend Plates. Order separate XCSNP Legend Plates as required.

2 Position Selector Switches supplied with "OFF-ON" Legend Plate.

3 Position Selector Switches supplied with "HAND-OFF-AUTO" Legend Plate.

NOTE 3 - Momentary "GZ" Push Buttons also available with Mushroom Head.

NOTE 4 - All "GZ" pilot devices available for 24V AC/DC and 240V AC.

All "GZ" lamps are same color LED as lens color.

NOTE 5 - "GZ" Selector Switches to be ordered complete with contact configuration as required. No adder block.

NOTE - This document is supplied as a tool for crossing current "GO" Operator Part Numbers to the new "GZ" Operator Part Numbers.

There are additional offerings in the "GZ" Trifold Brochure at

https://hubbellcdn.com/specsheet/KIL_GZ_Series_Operators.pdf or click link below:

https://hubbellcdn.com/specsheet/KIL_GZ_Series_Operators.pdf