HUBBELL Power Systems

PDV-100 Optima Arrester (5.1 kV MCOV, C4CC Hardware)

By OHIO BRASS Catalog # 294205C4CC

IEEE Heavy Duty / IEC Distribution High Polymer Housed Surge Arrester

Features

- Over 35 years of excellent field performance with over 40 million distribution arresters installed
- Long lasting ESPTM housing material with superior mechanical strength and electrical characteristics
- Reliable capacitive disconnector operates at fault currents as low as 1 Amp
- Dynamic triple sealing system protects internal components from moisture ingress to extend service lifetime
- High quality MOV discs made in Wadsworth, Ohio since 1978
- Arresters assembled in Aiken, South Carolina
- 100% routine tested

Application

Distribution

General

Bracket Type	None
Cantilever Bending Strength -	59.008 lb.
Max.	
Catalog Number	294205C4CC
Color	Gray Housing
EU RoHS Indicator	Contact Manufacturer
Material	ESP™ Polymer Housing
Mounting Position	Upright
Туре	Distribution
UPC	096359813156

Dimensions

Height3.8 inStud Type3/8-16

Electrical Ratings

Creep and Leakage Distance

11.3 in (287 mm)



*Representative Image

Current - Low Current Long 250 A Duration (LCLD) Test	
Duty Cycle 6 kV	
Frequency Rating 48-62 Hz	
MCOV 5.1 kV	
Maximum .5 Microsecond 22.4 kV	
Discharge Volts @ Classifying	
Current	
Maximum Discharge Voltage • 16 kV @ 1.5 kA	
• 17.1 kV @ 3 kA	
• 18.2 kV @ 5 kA	
• 19.8 kV @ 10 kA	
• 22.5 kV @ 20 kA	
● 26.5 kV @ 40 kA	
Maximum Switching Surge 14.7 kV	
Protective Level @ 500A	
Minimum Strike 4.6 in	
Pressure Relief Capability- 20	
Symmetrical rms (kA)	
Time - Low Current Long 2000 Qs	
Duration (LCLD) Test	
Certifications And Compliance	
Industry Standard(s) IEEE/IEC	
Logistics	
Pallet Quantity 224	
Product Assets	
Brochures - Ohio Brass Sets the Standards for Arresters	
Catalogs - Arresters IEEE & IEC Distribution Class	
Installation Manuals - PDV-PVR Polymer Distribution Class	
Arrester Installation Instructions	
Sales Drawings - 294205C4CC	

Specifications - Specification for IEEE Heavy Duty Class Distribution Arresters

Specifications - 294205C4CC

