

# PDV-100 Optima Arrester (29 kV Uc, CCBI Hardware)

By OHIO BRASS Catalog # 294229CCBI

IEEE Heavy Duty / IEC Distribution High Polymer Housed Surge Arrester



\*Representative Image

# **Electrical Ratings**

| Creep and Leakage Distance<br>Current - Low Current Long<br>Duration (LCLD) Test | 50.4 in (1280 mm)<br>250 |
|--|--------------------------|
| Duty Cycle   | 3 kV                     |
| Frequency Rating   | 48-62 Hz                 |
| MCOV   | 29 kV                    |
| Maximum .5 Microsecond<br>Discharge Volts @ Classifying<br>Current               | 126.3 kV                 |
| Maximum Discharge Voltage  | • 91.3 kV @ 1.5 kA       |
|  | • 97.8 kV @ 3 kA         |
|  | • 103.5 kV @ 5 kA        |
|  | • 112.9 kV @ 10 kA       |
|  | • 128.3 kV @ 20 kA       |
|  | • 151.2 kV @ 40 kA       |
| Maximum Switching Surge<br>Protective Level @ 500A                               | 83.5 kV                  |
| Pressure Relief Capability-<br>Symmetrical rms (kA)                              | 20                       |
| Time - Low Current Long<br>Duration (LCLD) Test                                  | 2000                     |
| Withstand Voltage - 60 Hz<br>Wet   | 7.8                      |
| Withstand Voltage - Lightning<br>Impulse   | 15.8                     |

## **Product Assets**

Brochures - Ohio Brass Sets the Standards for Arresters (EU1587) Catalogs - Arresters IEEE & IEC Distribution Class (CA01065E Catalog 70) Installation Manuals - PDV-PVR Polymer Distribution Class Arrester Installation Instructions (17-5122) Installation Manuals - Installation Instructions for PDV/PVR Arresters - Chinese (17-5122C) Installation Manuals - Installation Instructions for PDV/PVR Arresters - French (17-5122F) Installation Manuals - Installation Instructions for PDV/PVR Arresters - Spanish (17-5122S) ISO Certificates - ISO 9001:2015 - Hubbell Power Systems Inc. Effective 2020-2023, Multi-site (English) ISO Certificates - ISO 14001:2015 - Hubbell Power Systems Inc. Literature - Application Guide: Metal-oxide Surge Arresters for use on AC systems (TD01135E) Literature - Lightning Surge Arresters (SF01023E) Literature - Hubbell Arrester and Wildlife Guard Solution Kits

#### Features

- Over 35 years of excellent field performance with over 40 million distribution arresters installed
- Long lasting ESP<sup>TM</sup> housing material with superior mechanical strength and electrical characteristics
- Reliable capacitive disconnector operates at fault currents as low as 1 Amp
- Dynamic triple sealing system protects internal components from moisture ingress to extend service lifetime
- High quality MOV discs made in Wadsworth, Ohio since 1978
- Arresters assembled in Aiken, South Carolina
- 100% routine tested

## Application

Distribution

#### General

| Bracket Type | NEMA Crossarm Bracket |
|--------------|-----------------------|
| Color        | Gray Housing          |
| Material     | ESP™ Polymer Housing  |
| Туре         | Distribution          |
|              |                       |

#### Dimensions

Stud Type

M12

(SF14069E) Video - Hubbell Power Systems In Depth: Distribution Arresters (VI01037E0119) Video - Hubbell Power Systems Metal Oxide Varistor (VI01022E0718)

HUBBELL

A proud member of the Hubbell Family.

©2024 Hubbell Incorporated. All rights reserved. OB-294229CCBI-SPEC-EN | REV 1/2024