

Strand Mount Aerial Slack Storage
System, 30" Dia.

By Opti-Loop
Catalog # [FOS30TMK](#)

OptiLoop 30.125" Strand Mount Aerial Slack Storage System,
6005 Alloy Aluminum, Dual coat baked on polyester powder
coat

Features

- 6005 alloy aluminum construction with continuous welds at cross bars and ends
- Dual coat baked on polyester powder coat finish
- Tie eyelets accommodate both stainless steel and plastic ties.
- Radius ends ensure no sharp corners.
- The outward-facing channel design and minimal surface area minimizes stress and ice loading.
- Aluminum brackets and bugnuts with galvanized nuts and bolts

Application

Strand/Messenger Cable storage

General

Cable Tie Eyelet	Yes
Catalog Number	FOS30TMK
Finish Type	Dual Coat Baked On Polyester Powder Coat
Material	6005 Alloy Aluminum
Product Category	Communications Connectors
UPC	096359706991
Wraps	Single

Dimensions



*Representative Image

Diameter - Inside	30.125 in
Diameter - Outside	31.4 in
Dimensions	40.565 in x 32.315 in x 3.664 in
Height	3.664 in
Length	40.565 in
Weight	9.7 lb
Width	32.315 in

Conductor Related

Conductor Type	Messenger Strand
Messenger Diameter - Maximum	0.25 in
Messenger Diameter - Minimum	0.313 in

Logistics

Pallet Quantity	21
-----------------	----

Product Assets

- [Catalogs - Distribution Connectors](#)
- [Catalogs - Opti-Loop Storage Systems](#)
- [Literature - Opti-Loop FOS](#)
- [Sales Drawings - CC-21800](#)
- [Specifications - FOS30TMK](#)
- [Video - Hubbell Power Systems In Depth: Opti-loop Plastic vs Aluminum](#)
- [Video - Opti-Loop® Lashed Aerial Installation](#)