



# SystemOne Universal Cover Tile Flange Assembly, Ivory Powder Paint Finish

By Hubbell Premise Wiring  
Catalog # [SITFCI](#)

In-Floor Delivery Systems, SystemOne Universal Cover Tile  
Flange Assembly, Ivory Powder Paint Finish



## Features

- Durable Powder Coat Finish
- Cast Aluminum Construction
- Dual Hinged Doors Open 180 Degrees
- ADA Compliant
- Scrubwater Compliant

## Application

Flush SystemOne Installation

## General

Application - For Use On	Tile
Color	<ul style="list-style-type: none"> <li>• Ivory</li> <li>• Ivoire</li> </ul>
Construction	Cast Aluminum
Cover Shape	Round
EU RoHS Indicator	No
Finish Type	Ivory
Item Type	Flush Cover/Tile Flange
Material	Composite
Material - Mounting Hardware	Mounting Hardware Included
Mounting Method	To Fitting in Floor
Mounting Type	(3) Screw Mount
Number Of Outlets	No Devices
Style	Cover Flanges
Type	<ul style="list-style-type: none"> <li>• Flush SystemOne Universal Covers</li> <li>• Flush SystemOne Universal Covers</li> </ul>
Type of Use	Tile, Flush
Typical Application	Tile, Flush
UPC	783585371139

## Dimensions

Width 5.62 in

## Certifications and Compliance

Industry Standard(s) cULus

## Logistics

Carton Quantity 5

## Product Assets

[Catalog Page - PREM R16 Catalog Page](#)  
[Catalog Page - PREM R45 Catalog Page](#)  
[Catalogs - HPW CATALOG\\_2023\\_FULL](#)

## Related Products

[S1SPTRAC - SystemOne, Sub-Plate, Recessed Bezel for \(6\) Ortronics TracJack Modules, Single 20A, 125V Receptacle, Black](#)  
[S1SPMAX - SystemOne, Sub-Plate, Recessed Bezel for \(6\) Siemon MAX Modules, Single 20A, 125V Receptacle, Black](#)  
[S1SP4X4SYS - SystemOne, Sub-Plate, \(4\) 20A, 125V Receptacles, \(4\) SYSTIMAX Openings, Black](#)  
[S1SP4X4PA - SystemOne, Sub-Plate, \(4\) 20A, 125V Receptacles, \(4\) Panduit Mini Com Openings, Black](#)  
[S1SPTL - SystemOne, Sub-Plate, \(1\) 1.60" Opening for Hubbell 20A or 30A Twist-Lock Receptacles, \(2\) Hubbell Flush Keystone Openings, Black](#)



A proud member of the Hubbell Family.

©2023 Hubbell Incorporated. All rights reserved.  
PREM-SITFCI-SPEC-EN | REV 7/2023