# NEXTSPEED Ascent Category 6A Component

# **Angled Patch Panel**

# Features

- 4.5dB Min NEXT Margin @ 500MHz Over TIA Component Specifications
- Short Links (Less than 10M) Supported
- Qualified to 150% of 802.3bt PoE Current Level
- Continuous Third Party Verification Program Ordering Information

Description	Color	Catalog Number UPC	
NEXTSPEED Ascent	Black	HP6A24A	662620247281
Category 6A Angled Patch			
Panel, 24-Port, 1 Rack Unit			

### Listings

TIA-568-C.2 Category 6A component ISO/IEC 11801/60603-7-41 6A component Third Party tested for TIA 568-C.2 requirements. Component/link/channel Category 6A and ISO/IEC 11801 Class EA Mechanical: Verified to TIA-568-C.2 UL Listed1863, UL 94 V-0 Flammability Rating ISO9001-2008 manufacturing process

# Specifications

Beryllium copper with precious metal plating with nickel under-plating
Phosphor bronze with 100 micro-inch lead free tin over nickel plating
14 gauge steel rolled-edge construction
19 (483) x 1.75 (45)
Dimensions and mounting holes per CEA-310-E

# Performance

#### Electrical

4.5dB NEXT margin over TIA 568-C.2 component at 500MHz 1.5dB NEXT margin over ISO/IEC 11801 6A component requirements at 500MHZ Designed and tested for 1.5A of continuous current per pair Enhanced common mode design eliminates residual and reflected NEXT and ANEXT

#### **General Information**

Manufacturing: 100% factory tested Universal wiring (T568A or T568B) Integrated labeling and icon slots for 606-B compliance

#### Mechanical

Mating Cycle: 2000+ with FCC 8-position plug


# Applications


IEEE 802.3an 10GBASE-T IEEE 802.3bt 4PPoE Power over Ethernet Suitable for links 2-90M IEEE 802.11ac and IEEE 802.11ax WAP deployments Backwards compatible with Category 5E and 6 hardware and applications











#### Accessories

Category 6A Component Jack	HJ6AB
Category 6A Patch Cord	HC6AB03
Category 6A Panel Replacement Adaptor	HP6AM6
Category 6A UTP Cable	C6ASRB

# **Online Resources**

Customer Use Drawing	
eCatalog	

