

Project:

Fixture Type:

Location:

Contact:

## Planck LED

Ceiling cord Mounted • Damp Location Listed PROGRESS LED

#### **Description:**

Provide a dramatic architectural lighting design to any space with this LED pendant. A smooth metal beam with a satin white finish suspends from the ceiling to add clean visual interest to minimalist residential or commercial settings. The frame holds a polycarbonate shade in place to complete the design.

#### **Specifications:**

- White polycarbonate Diffuser
- The frame holds a polycarbonate shade in place to complete the design.
- A smooth metal beam with a satin white finish suspends from the ceiling to add clean visual interest to minimalist residential or commercial settings.
- Provide a dramatic architectural lighting design to any space.
- · Ideal for any hallway, foyer, kitchen, or dining room.
- · Perfect for transitional, modern, or contemporary settings.
- Measures 47-1/4-inch width by 1-3/8-inch height.
- Uses one integrated LED that is included (39w max).
- · Compatible with many Triac/ELV dimmers (see dimming controls)
- · Includes installation instructions and mounting hardware.
- · Progress Lighting products are designed for exceptional quality, reliability, and functionality.
- Dimmable to 10% brightness (See Dimming Notes)
- · Canopy covers a standard 4" recessed outlet box: 21.5 in W., 4.75 in ht., 1.25 in depth
- Mounting backplate for outlet box included
- 108 in of wire supplied

## **Performance:**

Number of Modules	1
Input Power	39 W
Input Voltage	120 V
Input Frequency	60 Hz
Lumens/LPW (Delivered)	2,900/74 (LM-79)
ССТ	3000 K
CRI	90 CRI
Life (hours)	50000 (L70/TM-21)
EMI/RFI	FCC Title 47, Part 15, Class B
Warranty	5-year Limited Warranty
Labels	cETLus Damp Location Listed
	Meets California Title 24 JA8-2016



P500276-028-30

#### **Dimensions:**

Width: 47-1/4 in Height: 1-3/8 in Depth: 1-3/4 in Overall Ht. W/Wire: 113 in

White polycarbonate Diffuser Width: 46-7/16 in Height: 0-1/16 in



# Planck LED

Ceiling cord Mounted • Damp Location Listed PROGRESS LED

#### **Dimming Notes:**

 $\mathsf{P500276}\text{-}028\text{-}30$  is designed to be compatible with many Triac/Forward Phase controls.

The following is a partial list of known compatible dimmer controls.

## **Dimming Controls:**

Leviton 6672
Lutron NTEVL-300
Lutron DVELV-300P
Lutron DVCL-253P
Lutron Caseta Wireless
Lutron AYCL-153P
Lutron TGCL-153-PH-WH

Dimming capabilities will vary depending on the dimmer control, load, and circuit installation.

Always refer to dimmer manufacturer instructions or a controls specialist for specific requirements.

Dimmer control brand names where identified above are trade names or registered trademarks of each respective company.

# P500276-028-30