




NEMA 1 Dugout Transition Box with STAB-IT® Cable Clamps, 8X20X6

By Raco
Catalog # [SC082006STRC](#)

NEMA 1 Dugout Transition Box with STAB-IT® Cable Clamps,
8X20X6



Features

- Designed for quick installation of flex, MC, MCI, MCI-A, AC and HCF cable
- STAB-iT® clamp has been tested at over 3X's faster than traditional MC connectors
- Room to add up to six additional STAB-iT® connectors
- Accepts cable sizes from 14/2 up to 10/3 for most cable types
- Features (4) 3/4 - 1 in. Concentric Knockouts
- Covered included
- UL Listed
- Designed and assembled in the USA

General

Application	RACO's Dugout box offers the quickest and easiest way to transition from flexible armored cable to conduit before entering the circuit panel. Specifically designed for commercial applications, the Dugout box builds on the popular concept of our Grand Slam box. This roomy rectangular model features plenty of space for wiring along with 21 of our built-in STAB-iT cable clamps, which hold up to 42 MC cables! Our unique clamps are field-proven to install up to 3X faster than traditional MC connectors. Four concentric knockouts are provided for either 3/4" or 1" conduit out to the circuit panel. For wall or ceiling mounting. The Dugout box offers more labor savings and installation flexibility than any other transition box on the market.
Catalog Number	SC082006STRC
Cover Type	Blank
Knockouts	3/4 - 1 in. Concentric
UPC	050169995655

Dimensions

Depth	6 in
Height	8 in
Width	10 in

Conductor Related

Cable Entry	Knock Outs
-------------	------------

Certifications And Compliance

Certified Listed	UL Listed
Nema Rating	NEMA 1

Logistics

Carton Quantity	1
Pallet Quantity	48

Product Assets

- [Catalogs - RACO / TayMac / Bell Full Catalog](#)
- [Customer Notices - Prop 65 - Cancer & Reproductive Harm Notice](#)
- [Product Logo - STAB-IT](#)
- [SDS - HCC SDS](#)
- [Sell Sheets - RA-444_DGOUT_SEL](#)
- [Terms and Conditions - HCC Terms & Conditions](#)
- [Video - RACO: Dugout Transition Box](#)



A Hubbell brand

©2024 Hubbell Incorporated. All rights reserved
RACO-SC082006STRC-SPEC-EN | REV 6/2024