# TB150N013F1

by Acme Electric Catalog ID: TB150N013F1



#### ICT .150KVA 240X480 - 24 F1

- Encapsulated design protects core & coil assembly from potentially damaging contaminants
- · Constructed with high quality silicon steel lamination to minimize core losses and increase efficiency
- Integrally molded terminal blocks with isolation barriers to prevent arc over
- · Fuse blocks kits available and easily adaptable
- Series-parallel connecting links save wiring and labor costs

### **Product Details**

General

Color	accommodate the momentary current inrush caused when electromagnetic components are energized without sacrificing secondary voltage stability beyond practical limits. The transformer's windings and internal terminations are encased in a durable thermoplastic end cap, protecting them from potentially damaging moisture, dirt and other ambient contaminants. Acme's TB Series transformers are dry-type, step-down transformers with the secondary control circuit isolated from the primary line circuit to assure maximum safety.
Secondary Voltage	24 V
UPC	047503011720

#### Dimensions

Dimensions	4.27 in x 3.75 in x 4.67 in
Height	4.67 in
Length	4.27 in
Weight	6.7 lb
Width	3.75 in

# **Electrical Ratings**

Frequency Rating	50/60 Hz
Primary Voltage	240 X 480 V

# Logistics

Carton Quantity	1	
-----------------	---	--