

# Wall Switch, Occupancy or Vacancy, Ultrasonic, 800WIncandescent, 1000W Fluorescent @ 120V AC, 1800W Fluorescent @ 277VAC, 120/277V AC

By Hubbell Wiring Device-Kellems Catalog # AU200011

Occupancy Sensing Products, Wall Switch,Occupancy or Vacancy, Ultrasonic, 1 Relay, 1000 Square Feet,800WIncandescent, 1000W Fluorescent @ 120V AC, 1800W Fluorescent @ 277VAC, 120/277V AC, With Photocell, Ivory



- Built in photocell with manual super saver mode for daylight harvesting
- No neutral required
- Auto or manual "ON" operating modes. Available in either single relay or dual relay versions
- Designed for use on 120 or 277V AC circuits. No neutral needed for fast retrofits

### General

Color Ivory
Series Ultrasonic
Type Manual/Auto
UPC 783585413792

# **Electrical Ratings**

Voltage Rating 120/277 VAC Voltage Rating Description 120/277V AC

## Logistics

Carton Quantity 50



#### **Product Assets**

Catalog Page - Wiring E-5 Catalog Page
Catalogs - Wiring Full Catalog
Engineering Drawing - AU2000I1 AutoCAD Drawing
Installation Manuals - WIRING\_PD2768\_INSTALLINST
Literature - Sensors Troubleshooting Guide
Literature - Load Control Application Guide
Sales Drawings - WDK\_AU2000I\_DRAWING\_PDF
Warranty - HMOSS Occupancy Motion Sensors

## **Related Products**

AD224012 - Occupancy/Vacancy Sensors, Wall Switch, Adaptive Dual Technology, 2 Circuit, 24V DC, Ivory AD2000LA1 - Wall Switch, Occupancy or Vacancy, Dual Tech, 800WIncandescent, 1000W Fluorescent @ 120V AC, 1800W

Fluorescent @ 277VAC, 120/277V AC AD2000W1 - Wall Switch, Occupancy or Vacancy, Dual Tech, 800WIncandescent, 1000W Fluorescent @ 120V AC, 1800W

Fluorescent @ 277V AC, 120/277V AC SS26 - Wallplates and Boxes, Metallic Plates, 1- Gang, 1) GFCI Opening, Standard Size, Stainless Steel

AD2000122 - Occupancy/Vacancy Sensors, Wall Switch, Adaptive Dual Technology, 2 Circuit, 120/277V AC, Ivory

