

Surge Arrestors, 40KA, 600V AC, Three Delta, Type 1

By Hubbell Wiring Device-Kellems Catalog # HBL11SA40

Surge Arrestors, 40KA, 600V AC, ThreeDelta, Type 1

Features

- 36,000, 40,000 and 50,000 Peak Amperage Capacity
- Surge arrestors are a low cost solution that may be installed on the line side or load side of the service entrance
- Excellent for OEM applications where size is an important variable
- Single phase wired-in surge protective devices feature a compact design

General

EU RoHS IndicatorContact ManufacturerSeriesWired-In Surge DevicesType40kAUPC783585833163



Electrical Ratings

Voltage RatingDelta 600 VACVoltage Rating Description600 VAC Delta

Product Assets

Catalog Page - Wiring N-7 Catalog page Catalogs - Wiring Full Catalog Engineering Drawing - HBL11SA40 AutoCAD Drawing Installation Manuals - WIRING_HBL_SA40 INSTALLATION INSTRUCTIONS_INSTALLINST Literature - SpikeShield® Power Quality Surge Protective Devices Sales Drawings - WDK_HBL11SA40_DRAWING_PDF Warranty - SPD Series: 36kA, 40kA & 80kA

Related Products

HBL11W100C - Power Quality Products, SPIKESHIELD Wired-In Branch Panel Protection, 100KA, 3PH 600V, with Filter HBL11P160B - Surge Protective Devices, Panel, 160KAPeak Capacity, Delta 600V AC, 3-Pole 4-Wire Grounding