

Surge Protective Devices, SPIKESHIELD TVSS Duplex Receptacle with Light, 20A 125V, 5-20R, Office White

By Hubbell Wiring Device-Kellems Catalog # HBL53600WSA

Surge Protective Devices, SPIKESHIELD TVSS Duplex Receptacle with Light, 20A 125V, 5-20R, Office White



- Automatic self-grounding staple
- Distinctive surge symbol provides quick identification
- Power-on indicator light verifies that power is available
- Alert alarm sounds when surge protection is no longer functioning

Application

Decorator Duplex

General

Color Office White **Environmental Conditions** Indoor Dry Unless Protected By Additional Means Indicator(s) Type LED and Audible Alarm Item Type Surge Protection Receptacles Material Composite Material - Mounting Hardware **Mounting Screws OEM Brand Name Hubbell Wiring Device-**Kellems Operating Temperature 32 Deg F to 140 Deg F (0 Deg C to 60 Deg C)

Outlet Performance

Straight Blade

• Electrical - Protection Modes - Normal and Common Modes

- Electrical Response Time - Approximately 5 ns
- Electrical Transient Suppression - Peak Energy (10 X 100 μ s), Peak Current $(8 \times 20 \mu s)$
- Electrical Voltage 120V AC + 10% - 15%
- Environmental -Flammability - UL 94V-2
- Environmental Operating Temperature - 32°F to 140°F (0°C to 60°C)



Display Size Standard

Electrical Ratings

20 A Amperage Rating

Connectivity Terminal Screws

Current / Amperage Rating 20 A **Current Rating** 20 A 60 Hz Frequency Rating Phase Single Phase

125 V Voltage Rating Voltage Rating Description 125 V

Certifications and Compliance

Industry Standard(s) · CSA Certified to

Specification C22.2 No. 42

• Listed to UL Standards 498

• UL Listed File E2186

Nema Rating 5-20R

Logistics

Carton Quantity 10

Product Assets

Catalog Page - Wiring N-13 Catalog page Catalogs - Wiring Full Catalog

Engineering Drawing - HBL53600WSA AutoCAD Drawing Installation Manuals - WIRING PD1152 INSTALLINST Literature - SpikeShield® Power Quality Surge Protective Devices

Sales Drawings - WDK HBL5360 DRAWING PDF Warranty - Industrial & Commercial Products

Response Time

Specification Grade Series

Type LIDC

Duplex 787585060080 7033030003



A proud member of the Hubbell Family.

©2023 Hubbell Incorporated. All rights reserved. WDK-HBL53600WSA-SPEC-EN | REV 5/2023