HUBBELL Wiring Device-Kellems

Extra Heavy Duty Industrial Grade, Toggle Switches, General Purpose AC, Three Way, 15A 120/277V AC, Back and Side Wired Toggle

By Hubbell Wiring Device-Kellems Catalog # HBL1203W

Switches and Lighting Controls, Extra Heavy Duty Industrial Grade, Toggle Switches, General Purpose AC, Three Way, 15A 120/277V AC, Back and Side Wired, White Toggle

Application

· Back and Side Wired

Performance

- Electrical Dielectric Voltage Withstands 1500V AC minimum for 1 minute
- Electrical Max. Continuous Current 15A
- Electrical Max. Working Voltage 277V AC
- Electrical Overload Minimum 4.8 times rated current for 100 cycles
- Electrical Temperature Rise 30°C maximum at rated current
- Environmental Flammability UL 94V-2
- Environmental Operating Temperature Max. continuous: 75°C, Min. continuous: -40°C without impact
- Mechanical Terminal Accommodations #14 AWG min. #10 AWG max. solid and stranded copper wire only

General

Style

Action SPDT
Catalog Number HBL1203W
Color White
EU RoHS Indicator No
Number Of Poles Single Pole

Operating Temperature Maximum continuous 75°C and minimum -40°C without Impact

Series Extra Heavy Duty

Specifications

• Base Material - Thermoset,

- Blue
- Contacts Silver AlloyGround Screw Brass
- Terminal Screws Brass
- Toggle Material Nylon
- Top Material Thermoset

Three Way

(Green)



Type Toggle

UPC 783585189055

Dimensions

Dimensions 4.06 in x 1.31 in x 1.87 in

Height 1.87 in
Length 4.06 in
Width 1.31 in

Electrical Ratings

Amperage Rating 15 A

Connectivity Back and Side Wired

Current / Amperage Rating 15 A
Current Rating 15 A

Dielectric Strength Withstands 1500V AC minimum

for 1 minute

Temperature Rise - Max. 30°C maximum at rated current

Voltage Rating 120-277 VAC Voltage Rating Description 120-277 VAC

Conductor Related

Wire Size #14 AWG to #10 AWG

Certifications And Compliance

Industry Standard(s) UL Listed

Logistics

Carton Quantity 10 Pallet Quantity 5000

Product Assets

Catalogs - WDK Catalog Full 2024 Specifications - HBL1203W

Warranty - Industrial & Commercial Products

