Single Pole Products, Female Receptacle, Threaded Stud Termination, 150 Amp Series, Blue

By Hubbell Wiring Device-Kellems Catalog # HBL15FRSBL

Single Pole Products, Female Receptacle, Threaded Stud Termination, 150 Amp Series, Blue

Features

- Threaded Stud Termination
- 150 Amp Series
- Blue

Application

Extra Heavy Duty Industrial

Performance

- Electrical Amperage Rating 150A Maximum
- Electrical Voltage Ratings 600V AC Maximum
- 250V DC Maximum
- Mechanical Product Identification Ratings are a permanent part of device
- Mechanical Terminal Accommodation #8 to #2 AWG

General

Catalog Number HBL15FRSBL
Color Blue
EU RoHS Indicator No

Environmental Conditions Indoor Dry Unless Protected By

Additional Means
Item Type Female Receptacle
Material Brass/Thermoplastic
Material - Mounting Hardware Screw Mounting

Number Of Poles 1-Pole Series Series 15

Specifications

• Base Compound -Thermoplastic Elastomer

(TPE)

• Contact Material - Brass

Mounting Hole - 3x Ø .20"

 Retaining Screw Material -Nylon

Termination - 5/16-18
 Threaded Stud



Style Female

Type Receptacle, Stud Type UPC 783585458304

Dimensions

Display Size Standard Sized Product

Electrical Ratings

Amperage Rating 150 A

Connectivity Threaded Stud

Current / Amperage Rating 150 A
Current Rating 150 A

Phase Single Phase Voltage Rating Description 600V AC/DC Wattage 90000

Conductor Related

Number Of Wires None

Wire Size #4 AWG Type SC/PPC Wire

Certifications And Compliance

Industry Standard(s)

 National Electric Code (NEC), ANSI/NFPA 70

• UL and cUL Listed

• UL Enclosure Types 3R, 4X,

12

Nema Rating Non-NEMA

Logistics

Carton Quantity 25

Product Assets

Catalogs - WDK Catalog Full 2024 Literature - Single Pole Devices Specifications - HBL15FRSBL

Warranty - Industrial & Commercial Products

