# Single Pole Products, Female Receptacle, Threaded Stud Termination, 150 Amp Series, Green

By Hubbell Wiring Device-Kellems Catalog # HBL15FRSGN

Single Pole Products, Female Receptacle, Threaded Stud Termination, 150 Amp Series, Green

## Features

- Threaded Stud Termination
- 150 Amp Series
- Green

### **Application**

Extra Heavy Duty Industrial

### Performance

- Electrical Amperage Rating 150A Maximum
- Electrical Voltage Ratings 600V AC Maximum
- 250V DC Maximum
- Mechanical Product Identification Ratings are a permanent part of device
- Mechanical Terminal Accommodation #8 to #2 AWG

#### General

Catalog Number HBL15FRSGN
Color Green
EU RoHS Indicator No
Environmental Conditions Indoor Dry Unless Protected By

Additional Means
Item Type Female Receptacle
Material Brass/Thermoplastic
Material - Mounting Hardware Screw Mounting

Number Of Poles 1-Pole Series Series 15

Specifications

• Base Compound Thermoplastic Elastomer
(TPE)

• Contact Material - Brass

- Mounting Hole 3x Ø .20"
- Retaining Screw Material -Nylon
- Termination 5/16-18
   Threaded Stud



Style Female

Type Receptacle, Stud Type

UPC 783585458311

**Dimensions** 

Display Size Standard Sized Product

**Electrical Ratings** 

Amperage Rating 150 A

Connectivity Threaded Stud

Current / Amperage Rating 150 A Current Rating 150 A

Phase Single Phase Voltage Rating Description 600V AC/DC Wattage 90000

**Conductor Related** 

Number Of Wires None

Wire Size #4 AWG Type SC/PPC Wire

**Certifications And Compliance** 

Industry Standard(s) • 1

 National Electric Code (NEC), ANSI/NFPA 70

UL and cUL Listed

• UL Enclosure Types 3R, 4X,

12

Nema Rating Non-NEMA

Logistics

Carton Quantity 25

### **Product Assets**

Catalogs - WDK Catalog Full 2024 Literature - Single Pole Devices Specifications - HBL15FRSGN

Warranty - Industrial & Commercial Products

