

Single Pole Products, Male Inlet, Threaded Stud Termination, 150 Amp Series, White

By Hubbell Wiring Device-Kellems
Catalog # [HBL15MRSW](#)



Single Pole Products, Male Inlet, Threaded Stud Termination, 150 Amp Series, White

Features

- Threaded Stud Termination
- 150 Amp Series
- White

Application

Extra Heavy Duty Industrial

Performance

- Electrical - Amperage Rating - 150A Maximum
- Electrical - Voltage Ratings - 600V AC Maximum
- 250V DC Maximum
- Mechanical - Product Identification - Ratings are a permanent part of device
- Mechanical - Terminal Accommodation - #8 to #2 AWG

General

| | |
|------------------------------|---|
| Catalog Number | HBL15MRSW |
| Color | White |
| EU RoHS Indicator | No |
| Environmental Conditions | Indoor Dry Unless Protected By Additional Means |
| Item Type | Male Inlet |
| Material | Brass/Thermoplastic |
| Material - Mounting Hardware | Screw Mounting |
| Number Of Poles | 1-Pole |
| Series | Series 15 |
| Specifications | <ul style="list-style-type: none">• Base Compound - Thermoplastic Elastomer (TPE)• Contact Material - Brass• Mounting Hole - 3x Ø .20"• Retaining Screw Material - Nylon• Termination - 5/16-18 Threaded Stud |

| | |
|-------|-----------------------|
| Style | Male |
| Type | Receptacle, Stud Type |
| UPC | 783585458236 |

Dimensions

| | |
|--------------|------------------------|
| Display Size | Standard Sized Product |
|--------------|------------------------|

Electrical Ratings

| | |
|----------------------------|---------------|
| Amperage Rating | 150 A |
| Connectivity | Threaded Stud |
| Current / Amperage Rating | 150 A |
| Current Rating | 150 A |
| Phase | Single Phase |
| Voltage Rating Description | 600V AC/DC |
| Wattage | 90000 |

Conductor Related

| | |
|-----------------|-------------------------|
| Number Of Wires | None |
| Wire Size | #4 AWG Type SC/PPC Wire |

Certifications And Compliance

| | |
|----------------------|--|
| Industry Standard(s) | <ul style="list-style-type: none">• National Electric Code (NEC), ANSI/NFPA 70• UL and cUL Listed• UL Enclosure Types 3R, 4X, 12 |
| Nema Rating | Non-NEMA |

Logistics

| | |
|-----------------|----|
| Carton Quantity | 25 |
|-----------------|----|

Product Assets

[Catalogs - WDK Catalog Full 2024](#)
[Literature - Single Pole Devices](#)
[Specifications - HBL15MRSW](#)
[Warranty - Industrial & Commercial Products](#)